

CANON RF LENSES **RANGE MAP**

ULTRA-WIDE & GENERAL PURPOSE ZOOMS



	Ultra-wide		General purpose zooms				
Lens / Feature	RF 14-35mm F4L IS USM	RF 15-35mm F2.8 L IS USM	RF 24-70mm F2.8 L IS USM	RF 24-105mm F4 L IS USM	RF 24-105mm F4-7.1 IS STM	RF 24-240mm F4-6.3 IS USM	RF 28-70mm F2 L USM
User	Professional	Professional	Professional	Professional	Enthusiast	Enthusiast	Professional
Ideal for	Landscape, Architecture, Vlogging	Landscapes, Movies, Weddings	Weddings, Events	General Purpose, Travel	General Purpose, Travel	General Purpose, Travel	Weddings, Events, Reportage
L series	✓	✓	✓	✓	×	×	✓
Closest focusing distance (m)	0.2	0.28	0.21	0.45	0.2	0.5	0.39
Max. magnification	0.38x	0.21x	0.3x	0.24x	0.4x	0.26x	0.18x
Optical IS (stops)	5.5	5	5	5	5	5	-
AF actuator	Nano USM	Nano USM	Nano USM	Nano USM	STM	Nano USM	USM
Filter thread (mm)	77	82	82	77	67	72	95
Max. diameter x length (mm)	84.1 x 99.8	88.5 x 126.8	88.5 x 125.7	83.5 x 107.3	76.6 x 88.8	80.4 x 122.5	103.8 x 139.8
Weight (g)	540	840	900	700	395	750	1430

Canon

Live for the story_

CANON RF LENSES RANGE MAP

FIXED LENSES



	Fixed Lenses							
Lens / Feature	RF 16mm F2.8 STM	RF 35mm F1.8 Macro IS STM	RF 50mm F1.2L USM	RF 50mm F1.8 STM	RF 85mm F1.2L USM	RF 85mm F1.2L USM DS	RF 85mm F2 Macro IS STM	RF 100mm F2.8L Macro IS USM
User	Enthusiast	Enthusiast	Professional	Enthusiast	Professional	Professional	Enthusiast	Professional
Ideal for	Landscapes, Architecture, Vlogging	Macro, General Purpose	Portrait, General Purpose	Portrait, General Purpose	Portrait, Movie	Portrait, Movie	Macro, Portrait	Macro, Portrait
L series	x	x	✓	x	✓	✓	x	✓
Closest focusing distance (m)	0.13	0.17	0.4	0.3	0.85	0.85	0.35	0.26
Max. magnification	0.26x	0.5x	0.19x	0.25x	0.12x	0.12x	0.5x	1.4x
Optical IS (stops)	-	5	-	-	-	-	5	5
AF actuator	STM	STM	USM	STM	USM	USM	STM	Nano USM
Filter thread (mm)	43	52	77	43	82	82	67	67
Max. diameter x length (mm)	69.2 x 40.2	74.4x 62.8	89.8 x 108	69.2 x 40.5	103.2 x 117.3	103.2 x 117.3	78 x 90.5	81.5 x 148
Weight (g)	165	305	950	160	1195	1195	500	730

Canon

Live for the story_

CANON RF LENSES RANGE MAP

TELEPHOTO LENSES



	Telephoto Lenses							
Lens / Feature	RF 70-200mm F4 L IS USM	RF 70-200mm F2.8 L IS USM	RF 100-400mm F5.6-8 IS USM	RF 100-500mm F4.5-7.1 L IS USM	RF 400mm F2.8 L IS USM	RF 600 F4 L IS USM	RF 600mm F11 IS STM	RF 800mm F11 IS STM
User	Professional	Professional	Enthusiast	Professional	Professional	Professional	Enthusiast	Enthusiast
Ideal for	Portraits, Outdoor Sports	Portraits, Indoor & Outdoor Sports	Wildlife & Outdoor Sports	Wildlife & Outdoor Sports	Wildlife & Outdoor Sports	Wildlife & Outdoor Sports	Wildlife & Outdoor Sports	Wildlife & Outdoor Sports
L series	✓	✓	×	✓	✓	✓	×	×
Closest focusing distance (m)	0.6	0.7	0.88	0.9	2.5	4.2	4.5	6
Max. magnification	0.28x	0.23x	0.41x	0.33x	0.17x	0.15x	0.14x	0.14x
Optical IS (stops)	5	5	5.5	5	5.5	5.5	4	5
AF actuator	Nano USM	Nano USM	Nano USM	Nano USM	USM	USM	STM	STM
Filter thread (mm)	77	77	67	77	Drop in 52	Drop in 52	82	95
Max. diameter x length (mm)	83.5 x 119	89.9 x 146	79.5 x 164.7	93.8 x 207.6	163 x 367	168 x 472	93 x 269.5	101.6 x 351.8
Weight (g)	695	1070	635	1525	2890	3090	930	1260



Live for the story_