SONY

FDR-X3000R NEU I

HDR-AS200VR HDR-AS50







Shoot your view. Show the world.

Action Cam POV cameras capture the best times of your life.



Shoot freely.

Share casually.

		Unrivalled 4K image stabilisation	High-performance 4K model – 4K high-precision image enjoyment	High-versatility HD model — Featuring diverse handy features and high-quality images	Casual-use model - Enabling you to shoot unique POV movies with ease	
		S SONY	BONY AK	SONY		
		NEW FDR-X3000R	FDR-X1000VR	HDR-AS200VR	HDR-AS50	
Resolutio	on	3840 x 2160 pixels Full HD 1080	3840 x 2160 pixels 1080	1080	1080	
lmage st	abilisation	Balanced Optical SteadyShot™	SteadyShot™	SteadyShot	SteadyShot	
Number pixels (a	of effective pprox.)	8.2M (16:9)	8.8M (16:9)	8.8M (16:9)	11.1M (16:9)	
Splashpro	oof body	\checkmark	✓		-	
Toughne	ess	60m waterproof*1 Dustproof*1 Shockproof to 1.5m*1 Freezeproof to -10°C	10m waterproof / dustproof / shockproof to 1.5m / freezeproof to -10°C (with supplied Waterproof Case)	5m waterproof / dustproof / shockproof to 1.5m / freezeproof to -10°C (with supplied Waterproof Case)	60m waterproof / dustproof / shockproof to 1.5m / freezeproof to -10°C (with supplied Underwater Housing)	
Underwa	ter shooting	✓	When using optional Dive Door AKA-DDX1K	When using optional Underwater Housing MPK-AS3	When using supplied Underwater Housing	
GPS		\checkmark	✓		-	
Dimension (approx.)	s (W x H x D)	29.4 x 47.0 x 83.0 mm, 1 3/16 x 1 7/8 x 3 3/8 inch	24.4 x 51.7 x 88.9 mm, 31/32 x 2 1/8 x 3 1/2 inch	24.2 x 46.5 x 81.5 mm, 31/32 x 17/8 x 3 1.4 inch	24.2 x 47.0 x 83.0 mm, 31/32 x 1 7/8 x 3 3/8 inch	
Weight	Main unit only	89g / 3.2 oz.	89g / 3.1 oz.	68g / 2.4 oz.	58g / 2.0 oz.	
(approx.)	Including battery	114g / 4.1 oz.	114g / 4.0 oz.	93g / 3.3 oz.	83g / 2.9 oz.	
Continuous recording time (with fully charged battery)		4K 50 min / Full HD 125 min	4K 50 min / Full HD 115 min	Full HD 115 min	Full HD 165 min	

^{*1:} With supplied Underwater Housing. *2: When Action Cam's Wi-Fi is ON and the camera is not connected with Live-View Remote or a smartphone. Continuous recording time may be shorter depending on usage and environmental conditions.



Balanced Optical SteadyShot (B.O.SS)

For the first time this renown feature from Sony's Handycam lineup is available in an action cam. Now you can shoot amazingly stable action movies in 4K.

New Zeiss Tessar Lens

The new Zeiss Tessar lens has less distortion on the peripheral, giving a more natural image.



New 4K Image Sensor

The new Exmor R CMOS sensor is developed specially for 4K movie shooting, and it has a larger pixel size compared to its predecessor.





New Live-View Remote RM-LVR3*

Thanks to its versatile design, new Live-View Remote (RM-LVR3)* can be attached to various accessories such as Shooting Grip (VCT-STG1) and Handlebar Mount (VCT-HM2) using supplied mount adaptor, or worn as a wristband using supplied belt.

* Supplied as part of Live-View Remote kit. Not sold separately.







What's in the box

FDR-X3000R Live-View Remote Kit

- · Live-View Remote (RM-LVR3)
- -Belt
- -Mount Adaptor -Cradle
- Rechargeable Battery Pack (NP-BX1)
- Underwater Housing (MPK-UWH1)
- Attachment Buckle
- Micro USB Cable





4K Ultra HD POV

Transform your quest for action into ultra-realistic movie imagination. FDR-X1000VR Action Cam turns POV shooting into vividly true-to-life Sony 4K Ultra HD adventure. It unites accumulated 4K Handycam® innovation with extraordinary image depiction optimised for active shooting. Now make exhilarating movies with the unrivalled realism of 4K Ultra HD artistry from Action Cam alone.



Waterproof

Supplied Waterproof Case* enables you to enjoy waterfront activities with your Action Cam FDR-X1000VR. And, with optional AKA-DDX1K Dive Door accessory, you can shoot 4K movies under water.






* Not suitable for focus underwater. Requires optional Dive Door AKA-DDX1K for shooting underwater.

Full pixel readout without pixel binning

Capture active scenes with highprecision, true-to-life resolution and colour. FDR-X1000VR supplies full pixel readout without pixel binning. This system delivers improved image resolution with reduced jaggies and false colour for outstanding higherquality movies.











FDR-X1000VR

What's in the box

FDR-X1000VR Live-View Remote Kit.

- Live-View Remote (RM-LVR2)
- Rechargeable Battery Pack (NP-BX1)
- Waterproof Case (SPK-X1)
- Adhesive Mount
- Micro USB Cable













SteadyShot beats bumps and blur

Shoot stable images easily while moving around. The unique system effectively suppresses shake and vibration while hiking or riding a bike. This enhanced version allows you to shoot stabilised POV movies for various sports and activities.





Waterproof

Supplied Waterproof Case* enables you to enjoy waterfront activities with your Action Cam HDR-AS200VR. And, with optional MPK-AS3 Underwater Housing accessory, you can shoot beautiful Full HD underwater diving movies.






* Not suitable for focus underwater. Requires optional Underwater Housing MPK-AS3 for shooting underwater.

Full pixel readout without pixel binning

Capture active scenes with highprecision, true-to-life resolution and colour. HDR-AS200VR supplies full pixel readout without pixel binning. This system delivers improved image resolution with reduced jaggies and false colour for outstanding higherquality movies.









HDR-AS200VR

What's in the box

HDR-AS200VR Live-View Remote Kit

- Live-View Remote (RM-LVR2)
- Rechargeable Battery Pack (NP-BX1)
- Waterproof Case (SPK-AS2)
- Adhesive Mount
- Micro USB Cable
- Tripod Adaptor*











HDR-AS50 (camera only)










































Waterproof

Take Action Cam diving to 60m/179ft. depth using supplied Underwater Housing – no need to buy optional gear. Equipped with a flat panel, this housing lets you shoot beautiful underwater movies.

SteadyShot

11.9 Still Image Recording

4K* Time-lapse Capture

High Bitrate Recording

High Speed RFC

Ultra Wide Anale

Zoom / Angle settina

Hiahliaht Movie Maker Manual Setting (WB/AE shifting)

Color

Setting | Recording

Streaming | Shot LE

Motion Burst Shooting



Adjustable field of view and zoom freedom

Select "Wide" or "Narrow" angle for your field of view, and adjust settings via zoom during shooting. Bring star quality to dramatic footage of athletes and moviemakers.



Choose "Narrow" field of view or select "Wide"3 for panorama.



Zoom changes via smartphone using PlayMemories™ Mobile app.

Full control

Take full control including turning the camera on/off to save battery power. PlayMemories Mobile* also controls your Action Cam.







- * PlayMemories Mobile ver. 5.5 or later is required. Camera on/off control requires Bluetooth 4.0 compatible smartphone or tablet (iPhone/iPad or Android ver. 5.0 or later).
- 1 When SteadyShot is OFF.



Remote Control with Live-View Remote

Simple intuitive remote control of Action Cam

Take full control of shooting settings and turning the camera on/off to save battery power with Live-View Remote. UI and button placement on Live-View Remote are in common with that on Action Cam unit, allowing intuitive operation.


Waterproof for waterfront fun

Thanks to waterproofing*, you can shoot in the rain, in snow, and during watersports like surfing and kayaking.

* Wi-Fi and Bluetooth features do not function underwater. These may not withstand continuous submersion or harsh environmental situations.

Control up to 5 cameras simultaneously

Use the Live-View Remote to monitor and switch among up to five cameras with different angles.







Notes: A proper Wi-Fi connection may not be established under some conditions, as when an obstacle is between the camera and designated mobile device, for example. In such cases, try to place the mobile device as close to the camera as possible, so that their Wi-Fi connection will not be affected by other Wi-Fi equipment.

More freedom with



"One-touch" connection with Wi-Fi and NFC



FDR-X3000R

Just place Action Cam near your NFC-equipped smartphone. Thanks to the "Onetouch Remote" feature, your smartphone can work as a remote controller for your camera, transferring Action Cam data easily to smartphone or tablet. Then, simply upload to social media or websites and share exciting action via Wi-Fi.









Multi Camera Control*

Take remote control of cameras simultaneously and individually with your smartphone or tablet.

Simultaneous operation

- Monitoring
- Shutter release
- Recording start/stop
- Movie/still switching

Individual operation

- Shutter release
- Recording start/stop
- Shooting and setting changes
- White balance change
- EV change
- Power on/off, etc.





^{*} Wi-Fi tethering compatible smartphone or tablet is required.

Shoot active performance as stable high-quality movies.

Significant stable 4K* and slowmotion movies with Balanced Optical SteadyShot FDR-X3000R

Newly available in the Action Cam lineup, Balanced Optical SteadyShot reliably compensates for strong camera shake caused by high-energy activities from sports to handheld shooting.

* Available with FDR-X3000R only



SteadyShot beats bumps and blur HDR-AS50

Capture stable images easily while in motion. This image stabilising system suppresses shake and vibration during movie shooting.



High-bitrate shooting* XAVC S

Make ultra-high-precision action movies with a striking sense of vivid realism. Block noise is suppressed even when shooting scenes in motion.



Low bitrate Rough-textured image with block noise



High bitrate Smooth and high quality image

* XAVC S format movie shooting requires SDHC/SDXC Memory Card (Class 10). 4K 100Mbps movie shooting requires SDHC/SDXC UHS-I Class 3 (U3) Memory Card.



Record lifelike sound*

Catch the real sound of adventure with built-in stereo mic, and cut distracting noise with Wind Noise Reduction.

* Recorded sound level is lower when using supplied Underwater Housing.







Key innovations for stunning high-quality images

ZEISS® Tessar lens

ZEISS® Tessar lens delivers high-quality images, high resolution, contrast, and colour reproduction. The lens surface has multilayer coating to suppress ghost and flare caused by diffused reflection of light.





Image sensor

Easily shoot scenes at night and in dark places, with very subtle light. Experience stunning low-light performance due to the back-illuminated Exmor R™ CMOS sensor with more pixels.






Image processing engine

Faithfully capture the texture and presence of what you see. Presently available Action Cam models feature BIONZ XTM image processor with fully renewed processing speed and quality.





High Speed REC

Record every nuance of fast-moving action for beautiful smooth slow-motion footage*.

* Requires post-processing for slow-motion movie



Enjoy new adventures in shooting

4K Time-lapse Capture

4K Time-lapse Capture lets you shoot a series of high-resolution still images. Then Action Cam Movie Creator*¹ or Action Cam App*² allows you to simply transform these images into an impressive time-lapse movie.

- *1: Action Cam Movie Creator ver 5.1(Windows)/3.1(Mac) or later is required.
- *2: Action Cam App ver. 2.0 or later is required. It supports Full HD time-lapse movie only.



Burst Shooting

High-quality still images can be continuously shot and you can catch defining moments of the moving subject.



Motion Shot LE

This feature records traces of a moving subject in one image to make one truly expressive photo of action scenes.



Highlight Movie Maker*

In-camera Highlight Movie Maker automatically selects points of footage, action scenes, and people's faces to create a short highlight movie, complete with background music. You can share your work immediately by smartphone.











^{*} Not available for XAVC S 4K, 24p, and High Speed REC.

Shoot like a pro with manual settings and more

White balance and AE shifting

Explore sophisticated shooting features for pro-style movies.





Loop Recording

Focus on performance and pick different loop overwriting lengths (5, 20, 60, 120 minutes, and unlimited length) to show your progress.



Flexible angle adjustment

Select the angle of your preferred field of view, and seamlessly fine-tune zooming during shooting regardless of angle setting. You can use these features to shoot movies with your desired field of view.



- Angle settings -Wide
- -Medium -Narrow
- Zoom mode

Underwater shooting

If you choose "Underwater" mode from the scene selection mode, footage shot under water is vivid.





Camera body toughness

Splashproof

FDR-X3000R

Action Cam body supplies IPX4-class splashproof performance without Underwater Housing. Use your camera by itself, regardless of wet weather or puddles.



Freezeproof*

Action Cam body can endure low temperatures to -10°C (14°F). Use your camera for winter sports like skiing and snowboarding.

* HDR-AS50 requires Underwater Housing MPK-UWH1 (supplied).



With supplied Underwater Housing*



Waterproof

Take Action Cam diving to 60m/197ft. depth using supplied Underwater Housing. Equipped with a flat panel, this housing lets you shoot beautiful underwater movies



Dustproof

Take on harsh, dry, dusty environments with supplied Underwater Housing. This seals out grit and dust for carefree camera use.



Shockproof

Don't worry about accidental knocks. Just use supplied Underwater Housing to keep your camera safe from small shocks.

^{*} Recorded sound level is lower when using supplied Underwater Housing.



Roll Bar Mount
VCT-RBM2







Chest Mount Harness **AKA-CMH1**



Handlebar Mount **VCT-HM2**



Universal Head Mount Kit **BLT-UHM1**



MC Protector **AKA-MCP1**FDR-X3000R



NEW

Hard Lens Protector **AKA-HLP1**HDR-AS50











Shooting Grip
VCT-STG1











Backpack Mount
VCT-BPM1



Suction Cup Mount **VCT-SCM1**



Dog Harness **AKA-DM1**






Universal Head Mount Kit **BLT-UHM1**







Wrist Mount Strap **AKA-WM1**



MC Protector **AKA-MCP1**



Anti-Fog Sheet **AKA-AF1***



^{*} Should be used together with Underwater Housing accessory.











Extended Clamp
VCT-EXC1*



* Not suitable for mounting on moving objects.

Cap Clip

AKA-CAP1



Arm Kit
VCT-AMK1



MC Protector **AKA-MCP1**



Hard Lens Protector **AKA-HLP1**HDR-ASS0



FOR DIVING & SNORKELLING



Wrist Mount Strap **AKA-WM1**







Action Monopod
VCT-AMP1



Underwater Housing
MPK-UWH1



Anti-Fog Sheet **AKA-AF1***



Chest Mount Harness **AKA-CMH1**



^{*} Should be used together with Underwater Housing accessory.









Underwater Housing MPK-UWH1



Anti-Fog Sheet **AKA-AF1***



Float

AKA-FL2



Camera Leash Pack **AKA-LSP1**





Housing/protector

	Underwater Housing MPK-UWH1	MC Protector AKA-MCP1	Hard Lens Protector AKA-HLP1						
Accessories for simultaneous use	Anti-Fog Sheet Float AKA-AFI AKA-FL2*1	-	-						
NEW FDR-X3000R	✓	✓	-						
FDR-X1000V	✓	-	✓						
AS200V	✓	-	✓						
HDR-AS50	✓	-	✓						

Handheld accessories

nanuneiu acce	23301163		
NEW	Finger Grip AKA-FGP1	Shooting Grip VCT-STG1	Action Monopod VCT-AMP1
Accessories for simultaneous use	Live View Remote RM-LVR3*2	Live View Remote RM-LVR2/RM-LVR3*2	-
NEW FDR-X3000R	✓	✓	✓
FDR-X1000V	-	✓	✓
AS200V	-	✓	✓
HDR-AS50	✓	✓	✓ /

Mount accessories (attached to tripod socket)


			2	*			_		NEW
			1	1	K	暴	*	***	•
		Cap Clip AKA-CAP1	Roll Bar Mount VCT-RBM2	Extended Clamp VCT-EXC1	Handlebar Mount VCT-HM2	Camera Shoe Mount VCT-CSM1*3	Suction Cup Mount VCT-SCM1	Adhesive Mount VCT-AM1	Motor Vibration Absorber for X3000R AKA-MVA
	NEW FDR-X3000R	✓	✓* ⁵	✓	✓ *5	✓	✓	✓	√ *4*5
1	FDR-X1000V	√	✓	✓	✓	✓	√	✓	-
	AS200V	√	✓	✓	✓	✓	✓	✓	-
	HDR-AS50	✓	✓	✓	✓	✓	✓	√	-

^{*1:} Requires attachment buckle (supplied with camera). *2: Not sold separately. *3: Attached to compatible Handycam® which has Multi Interface Shoe and supports "Multi Camera Control" function.
*4: Should be used together with Handlebar Mount or Roll Bar Mount. *5: Distortion in image quality or out-of-focus may occur when FDR-X3000R or HDR-AS300 is used in close proximity to vibrating motors and engines.
Image results can be improved by using Action Cam with optional accessory Motor Vibration Absorber for X3000R/AS300 (planned for sale in autumn 2016).

Mount accessories (featuring attachment buckle)

Power/case/microphone accessories

		Universal Head Mount Kit BLT-UHM1	Chest Mount Harness AKA-CMH1	Wrist Mount Strap AKA-WM1	Dog Harness AKA-DM1	Backpack Mount	Helmet Side Mount VCT-HSM1	Board Mount VCT-BDM1
1	NEW FDR-X3000R	✓	✓	✓	✓	✓	✓	✓
•	FDR-X1000V	✓	✓	✓	✓	✓	✓	✓
	AS200V	✓	✓	✓	✓	✓	✓	✓
	HDR-AS50	✓	✓	✓	√	✓	✓	✓



		Rechargeable Battery Pack NP-BX1	Battery Charger BC-TRX	Accessory Kit	Accessory Kit (Travel DC charger kit) ACC-TRDCX	Accessory Kit (Car charger kit) ACC-DCBX	Semi-hard Carrying Case LCM-AKA1				(
	NEW FDR-X3000R	✓	✓	✓	✓	√	✓			NEW FDR-X3000R	
•	FDR-X1000V	✓	✓	✓	✓	√	✓		1	FDR-X1000V	
	AS200V	✓	✓	✓	✓	✓	✓	6 %		AS200V	
	HDR-AS50	✓	√	√	✓	✓	√			HDR-AS50	

		PROPERTY AND ADDRESS OF THE PARTY AND ADDRESS	
		32	1
		Camera Leash Pack AKA-LSP1	Arm Kit VCT-AMK1
	NEW FDR-X3000R	✓	√
1	FDR-X1000V	✓	√
	AS200V	✓	✓
9	HDR-AS50	√	√
7000			

Action Cam Movie Creator for more post-shooting fun

Use this free video editing software to create an impressive final cut. Do slow-motion/speed-up editing, overlay GPS data, merge videos on one screen, and more.

Free Download at www.sony.net/acmc



Supporting time-lapse movie production

You can produce time-lapse movies from a series of still pictures shot at designated intervals. This software also supports making 4K time-lapse movies.



GPS Data Overlay*

GPS Data Overlay* on Video reads your speed data recorded by built-in GPS* and generates another video file that displays your route, speed information, etc.

* Not available on HDR-AS50



Action Cam App for easy editing, playback, and sharing

Intuitive mobile app lets you "prove yourself" anytime anywhere — via easy video editing with time-lapse, slow motion/speed up, and wireless movie file transfer.





Edit on mobile

Transfer movie action. Amp up the excitement with effects. Slo-mo for drama, fast for laughs. Insert background music. Share!



Time-lapse movie production support

Produce time-lapse movies from a series of still pictures shot at designated intervals. This app lets you add panning and zooming effects and make Full HD movies for easy sharing.



Magazine

Action Cam tips right at hand help you capture your best POV shots.





Website

For information regarding software update and latest availability of accessories, please visit our website: http://www.sony.net/actioncam/





YouTube channnel

View thrilling real-life POV footage. Watch biking, skateboarding, and drones. See soaring eagles and river dolphins. Enjoy Sony's Never Before Seen films. https://www.youtube.com/user/ActionCamfromSony







PAGE 32 Specifications

		NEW FDR-X3000R					FDR-X1000VR				
Image Sensor											
Sensor Type		1/2.5 type (7.20mm) back-illuminated Exmor R CMOS Sensor					1/2.3 type (7.81mr	n) back-illun	ninated Exmor R CMOS Senso	r	
		Video	Approx. 8.2	2 megapixels (16:9)			Video	Approx. 8	8 megapixels (16:9)		
Number of Pixels (effective)		Still Image	Approx. 8.2	2 megapixels (16:9)			Still Image	Approx. 8.	.8 megapixels (16:9)		
Lens											
Lens Type		ZEISS® Tessar					ZEISS® Tessar				
F-number (maxi	imum aperture)	F2.8					F2.8				
Angle of View		Wide/Medium/Na	rrow (Note: 4	K movie and High Speed Rec	support only "Wide" angle of view	.)	170° (SteadyShot	OFF), 120° (S	teadyShot ON)		
Camera											
Processor type		BIONZ X image pro	ocessor				BIONZ X image pr	ocessor			
Image Stabilisa	tion	Balanced Optical S	iteadyShot A	ctive mode			SteadyShot Active	mode			
Recording											
Danadia - Mad		MP4	PS: 1920 x 1080 60p/50p (28Mbps), HQ: 1920 x 1080 30p/25p (16Mbps), STD: 1280 x 720 30p/25p (6Mbps), HS120 (HS100): 1280 x 720 120p/100p (28Mbps), HS240 (HS200): 800 x 480 240p/200p (28Mbps)			MP4	PS: 1920 x 1080 60p/50p (28Mbps), H0: 1920 x 1080 30p/25p (16Mbps), STD: 1280 x 720 30p/25p (6Mbps), H5120 (H5100): 1280 x 720 120p/100p (28Mbps), H5240 (H5200): 800 x 480 240p/200p (28Mbps)				
Recording Mode	e	XAVC S	3840 x 2160 30p/25p/24p (100Mbps/60Mbps), 1920 x 1080 120p/100p (100Mbps/60Mbps), 1280 x 720 240p/200p (100Mbps/60Mbps), 1920 x 1080 60p/50p/30p/25p/24p (50Mbps)				XAVCS		3840 x 2160 30p/25p/24p (100Mbps/60Mbps), 1920 x 1080 120p/100p (100Mbps/60Mbps), 1280 x 720 240p/200p (100Mbps/60Mbps), 1920 x 1080 60p/50p/30p/25p/24p (50Mbps)		
6 (31.5)		MP4	Micro SD/SDHC/SDXC Memory Card (Class 4 or higher), Memory Stick Micro™ (Mark 2)			MP4	Micro SD/	SDHC/SDXC Memory Card (Cla	ass 4 or higher), Memory Stick N	licro™ (Mark 2)	
Compatible Rec	ording Media	XAVC S	4K 60Mbps / HD 50Mbps: Micro SDHC/SDXC Memory Card (Class 10 or higher),100Mbps: Micro SDHC/SDXC UHS-I U3 or higher				XAVCS	50Mbps: Micro SDXC Memory Card (Class 10 or higher), 100Mbps: Micro SDXC UHS-I U3 or higher			
Interface											
Input and Outp	ut Terminals	Multi/Micro USB to	erminal, Micro	o HDMI terminal, stereo minija	ack for microphone		Multi/Micro USB terminal, Micro HDMI terminal				
Wi-Fi / Bluetoot	th Function / NFC	Yes / Yes / Yes (On	e-touch Rem	ote)			Yes / - / Yes (One-touch Remote)				
GPS		Yes					Yes				
Battery Type		NP-BX1					NP-BX1				
USB Charge / US	SB Power Supply	Yes					Yes				
Dimensions (W	x H x D) (approx.)	29.4 x 47.0 x 83.0 r	nm, 1 3/16 x 1	1 7/8 x 3 3/8 inch			24.4 x 51.7 x 88.9 mm, 31/32 x 2 1/8 x 3 1/2 inch				
M-:-b-/	,	Main unit only	89g / 3.2 oz	Σ.			Main unit only	Main unit only 89g / 3.1 oz.			
Weight (approx.)		Including battery 114g / 4.1 oz.					Including battery 114g / 4.0 oz.				
Recording Time (with fully charged b		attery)*¹ (approx.)									
			Continuous re	cording time	Typical reco	rding time	Continuous recording time Typical recording time				ording time
NP-BX1		XAVC S: 3840 × 2160 30	p 60Mbps (4K)	MP4: 1920 x 1080 30P (HQ)	XAVC S: 3840 x 2160 30P 60Mbps (4K)	MP4: 1920 x 1080 30P (HQ)	XAVC S: 3840 x 21	60 30P (4K)	MP4: 1920 x 1080 30P (HQ)	XAVC S: 3840 x 2160 30P (4K)	MP4: 1920 x 1080 30P (HQ)
IN TOAT	Camera's Wi-Fi is ON*2	50 min		125 min	40 min	80 min	50 min		115 min	30 min	70 min
	Camera's Wi-Fi is OFF	60 min		135 min	45 min	85 min	50 min	50 min 1		30 min	75 min

^{*1:} When shooting continuously under temperature of 25°C without use of supplied Underwater Housing. Recording time may be shorter depending on usage and environmental conditions. *2: When the camera is not connected with Live-View Remote or a smartphone.

		HDR-AS200VR				HDR-AS50			
Image Sensor									
Sensor Type		1/2.3 type (7.81mi	m) back-illuminated Exmor R CMOS Sen	isor	1/2.3 type (7.77mm)	1/2.3 type (7.77mm) back-illuminated Exmor R CMOS Sensor			
Number of Pixels (effective)		Video Approx. 8.8 megapixels (16:9)			Video	Approx. 11.1 megapixels (16:9)			
		Still Image	Approx. 8.8 megapixels (16:9)		Still Image	Approx. 11.1 megapixels (16:9)			
Lens									
Lens Type		ZEISS® Tessar			ZEISS® Tessar				
F-number (maxim	num aperture)	F2.8			F2.8				
Angle of View		170° (SteadyShot	OFF), 120° (SteadyShot ON)		Wide / Narrow				
Camera									
Processor type		BIONZ X image pr	ocessor		BIONZ X image prod	cessor			
Image Stabilisatio	on	SteadyShot Active	e mode		SteadyShot Active r	mode			
Recording									
Recording Mode		MP4	PS: 1920 x 1080 60p/50p (28Mbps), H STD: 1280 x 720 30p/25p (6Mbps), HS HS240 (HS200): 800 x 480 240p/200	5120 (HS100): 1280 x 720 120p/100p (28Mbps),	MP4	P5: 1920 x 1080 60p/50p (28Mbps), HQ: 1920 x 1080 30p/25p (16Mbps), STD: 1280 x 720 30p/25p (6Mbps), H5120 (H5100): 1280 x 720 120p/100p (28Mbps)			
		XAVC S	1920 x 1080 60p/50p/30p/25p/24p (5	OMbps)	XAVC S	1920 x 1080 60p/50p/30p/25p/24p (50Mbps)			
	P P	MP4	Micro SD/SDHC/SDXC Memory Card (Class 4 or higher), Memory Stick Micro™ (Mark 2)	MP4	Micro SD/SDHC/SDXC Memory Card (Class	4 or higher), Memory Stick Micro™ (Mark 2)		
Compatible Recor	ding Media	XAVC S	50Mbps: Micro SDXC Memory Card (Cla	iss 10 or higher)	XAVC S	50Mbps: Micro SDHC/SDXC Memory Card (C	lass 10 or higher)		
Interface									
Input and Output	Terminals	Multi/Micro USB t	terminal, Micro HDMI terminal		Multi/Micro USB ter	rminal			
Wi-Fi / Bluetooth	Function / NFC	Yes / - / Yes (One	-touch Remote)		Yes / Yes / -				
GPS		Yes							
Power									
Battery Type		NP-BX1			NP-BX1				
USB Charge / USB	Power Supply	Yes			Yes				
Others									
Dimensions (W x F	H x D) (approx.)	24.2 x 46.5 x 81.5	mm, 31/32 x 1 7/8 x 3 1.4 inch		24.2 x 47.0 x 83.0 m	ım, 31/32 x 17/8 x 3 3/8 inch			
Weight (approx.)		Main unit only	68g / 2.4 oz.		Main unit only	58g / 2.0 oz.			
weight (approx.)		Including battery	93g / 3.3 oz.		Including battery	83g / 2.9 oz.			
Recording Time (with fully charged b		attery)							
		Co	ontinuous recording time	Typical recording time	Continuous recording time		Typical recording time		
NP-BX1		MF	P4: 1920 x 1080 30P (HQ)	MP4: 1920 x 1080 30P (HQ)	h	MP4: 1920 x 1080 30P (HQ)	MP4: 1920 x 1080 30P (HQ)		
	Wi-Fi ON		115 min	75 min		165 min	110 min		
	Wi-Fi OFF		125 min	80 min		195 min	130 min		





Trademarks & Remarks

All rights reserved.

Sony, Exmor R, BIONZ X, SteadyShot, PlayMemories Mobile, Memory Stick Micro and their logos are registered trademarks or trademarks of Sony Corporation.

ZEISS, ZEISS Tessar, and ZEISS logo are trademarks of Carl Zeiss AG.

Wi-Fi, the Wi-Fi logo and Wi-Fi Protected Setup Identifier Mark are trademarks or registered trademarks of the Wi-Fi Alliance.

N-Mark is a registered trademark of the NFC Forum.

The Bluetooth® word mark and logos are registered trademarks owned by the Bluetooth SIG, Inc. and Bluetooth® Smart is used under the license of these marks.

Google and Android are trademarks of Google Inc.

Microsoft and Windows are registered trademarks or trademarks of Microsoft Corporation in the United States and/or other countries.

App Store is a service mark of Apple Inc. Mac and Mac OS are registered trademarks of Apple Inc. All other company and product names mentioned herein are used for identification purposes only and may be the trademarks or registered trademarks of their respective owners.

- Features and specifications are subject to change without notice.
- · Screen displays are simulated.
- Simulated effects are used to illustrate some functions.

http://www.sony.net/actioncam/ Printed in Austria



Editor:

Sony Europe Limited Switzerland Branch Wiesenstrasse 5 CH-8952 Schlieren

Errors and omissions excepted. www.sony.ch