

SUPERFAST, LAB-QUALITY PRINTS FROM SMART DEVICES AND MORE

Small, elegant and effortlessly portable this Wi-Fi photo printer makes it easy to create unique, high quality and durable prints straight from compatible smart devices, SD cards or cameras – wherever you go.



- Fast wireless prints from smart devices thanks to Canon PRINT app plus Mopria[™] and Apple AirPrint[™] support
- Print vibrant and durable superb-quality prints in less than 1 minute thanks to dye sublimation technology.
- Immortalise and share your memories in creative ways and print ID photos in a wide range of accepted sizes.
- Stylish, ultra compact and portable design ideal for superb photo printing at home or out and about.











PRODUCT RANGE



SELPHY CP1300 SELPHY CP1200 SELPHY CP1000

SELPHY CP1300



SELPHY CP1200



SELPHY CP1000



TECHNICAL SPECIFICATIONS

TECHNICAL	SPECIFICATIONS		SELPHY CP1300			
PRINTING SYSTEM		INTERFACE				
Method	Dye-sublimation thermal transfer printing system	Camera	USB:			
Maximum Resolution	300 x 300 dpi		Via Type A USB port on printer			
Colours	3 colour inks (yellow, cyan, magenta)		Wi-Fi:			
	with protective over coating		Via PictBridge via WLAN compatible digital cameras			
	256 levels per colour (24 bit colour depth)	Computer	USB:			
			mini-B port on printer			
MEDIA & CARTRIDGE			Wi-Fi: (IEEE802.11 b/g)			
Postcard Size	148 x 100 mm - KP-36IP, KP-108IN, RP-108, RP-1080V	LCD Monitor	8.1 cm (3.2") Colour TFT viewer with multi-language user			
Credit Card Size	86 x 54 mm - [KC-36IP] ^[2]		interface and tilt mechanism			
Credit Card Size Stickers	86 x 54 mm - [KC-18IF] ^[2]		(Languages: English, German, French, Italian, Spanish,			
Square Stickers	50 x 50 mm - [KC-18IS] ^[2]		Russian, Simplified Chinese, Traditional Chinese, Korean, Thai,			
Mini Stickers	22.0 x 17.3 mm (x8 stickers on one sheet) - [KC-181L] ^[2]	Hindi, Vietnamese, Malaysian, Japanese, Portugue Arabic)				
Ink Cartridge	Included with media		Aldbic)			
Image Longevity	100 Years Print ^[3]	SUPPORTED OPERATING SYSTEM				
		PC	Windows 10 / 8.1 / 8 / 7 SP1 ^[19]			
MEDIA INPUT		Macintosh	Compatible with Apple OS via AirPrint ^[16]			
Sheet Feeder	Auto feed from paper cassette	Maciniosii	Companible with Apple Os via Air film			
		SOFTWARE				
PRINT SPEEDS		Drivers	Windows			
Postcard Size	approx. 47 sec ^[14]					
Credit Card Size	approx. 27 sec ^[14]	POWER SOURCE				
Credit Card Size Stickers	approx. 27 sec ^[14]	AC Power Supply	Ver evening			
Mini Stickers	approx. 27 sec ^[14]	Battery Pack	Yes, supplied Yes, optional NB-CP2LH (Approx. 54 Postcard size prints per			
			full charge)			
PRINTING		Power Consumption	Approx. 4W (standby), approx. 60W (printing)			
Print Modes	Select & Print (Selection of individual images and number of		Auto Power Down available			
	copies for batch printing), All image print (Selection of all					
	images and number of copies for batch printing), DPOF	ACCESSORIES				
	Image Print, Reprinting, ID Photo Print (Standard / Custom / Dual)	Case	Print on-the-go Bag DCC-CP3			
	boaj		CP Printer Carrying Case DCC-CP2			
Print Settings	Print finish:	Paper Cassette	Card Size Paper Cassette PCC-CP400			
	Glossy, Semi-Gloss (Pattern 1 / Pattern 2 / Pattern 3)	Power Supply & Battery	AC Adapter CA-CP200B			
		Chargers				
	Image layout:	PHYSICAL SPECIFICATIONS				
	Borders (Bordered / Borderless), Page Layout (1 / 2 / 4 / 8 images per page, 2 images per page	Operating Environment	0 - 40 °C, 20 - 80% humidity			
	fixed size (Background (White / Black) / Center),	Dimensions				
	2 x 6 photo strips, Index, Shuffle (8 / 20 images per	Dimensions	180.6 mm x 135.9 mm x 63.3 mm (printer only without protrusions)			
	page (Multiple smart devcies can connect to printer	Weight	860 g (Excluding Ink Cartridge and Paper Cassette)			
	via Canon PRINT app) ^[18] / Orientation (Landscape / Portrait) / Background (White / Black))	-				
	(Edhascape / Politali) / Background (White / Black))	^[2] Requires optional paper cass	ssette PCC-CP400			
	Image manipulation:	^[3] To test the image permanent	ce of prints that are stored in an album, we use an accelerated			
	Intelligent scene and face detection via Image Optimize,	testing method similar to how	w the image permanence of silver-halide photo papers are			
	iContrast, Brightness (7 levels, from -3 to +3), Colour		irk places. Print samples are printed with the optical density of			
	Adjustment (7 levels (C-R) x 7 levels (Y - B)), Smooth Skin, My Colors (Vivid / Neutral / Positive Film / Sepia / B/W / Off), Red-		mples are kept in a certain environment of high temperature of the decrease in the optical density and rate of yellow			
	eye Correction, Cropping		The recorded results are then converted to the length of time			
	, , , , , ,		in environment of 23°C/ 50% humidity. <criteria estimation="" for="" of<="" th=""></criteria>			
	Printer settings:		y> The point where monochromatic/ reflective optical density shows loss of 30%			
	ID Photo Priority, Keep Print Settings, Paper re-use prevention	(starting density of 1.0).				
	dots, Date (Prominent / Subtle / Off), Date Format, File Number (Prominent / Subtle / Off)		lent on data size, print method, memory card and capacity and nting excluding paper handling			
			ay differ dependent on camera model or use of memory card			
PRINT METHOD		to print				
Direct Printing From a Camera	PictBridge compliant (USB and Wireless LAN)	^[7] Requires adapter (sold separe	ately)			
		^[13] Irregularly sized images, or im	ages that have been edited on a computer may not display or			
Direct From a Memory Card	Supported card types: SD, SDHC, SDXC	print. USB Devices that are not identified as "Removable media" (such as external hard drives) or do not use the FAT or exFAT file system or have GUID partition tables created on a				
	USB Flash Memory ^[13] Supported via Adapter ^[7] : miniSD, miniSDHC, microSD,	Macintosh computer are no				
	microSDHC, microSDXC	^[14] Print speed can vary depend	lent on data size, print method, print finish setting, memory card			
Direct From a Camera Phone	Compatible with smartphones, tablets and	type and capacity. Print spe	ed is measured from start of printing excluding paper handling			
	portable devices via Wi-Fi (Direct or Infrastructure	^[15] Compatibility of Canon applications varies depending on your smart device model and				
	connection) ^{[15][16]} :	operating system. For latest o	compatibility please refer to the app store on your smart device.			
		For more compatibility inform	compatibility information about Apple AirPrint on your Apple computer/smart			
	Canon PRINT Inkjet/SELPHY app Apple AirPrint	device, please refer to https://support.apple.com/en-gb/HT201311 ^[17] Please refer to Amazon website for latest compatibility with Mopria				
	Android devices:	^[18] Upto 8 smart devices can connect to the printer via Canon PRINT app at a given time for				
	Canon PRINT Inkjet/SELPHY app	purpose of Shuffle print option via Wi-Fi, however only one device can send 'Print' command				
	Canon PRINT Service plugin (version 1.20 or later)	^[18] Printer driver can be downloaded from http://www.canon-europe.com/support,				
	Mopria Print Service	driver/software application of	compatibility with Windows 10 is only applicable when computer			
	Kindle Fire OS devices: Canon Print Plugin	is operating in Windows 10 D	esktop Mode only			
	Mopria Print Service					
Print From a Computer	Yes, requires standard USB cable or compatible Wi-Fi	All data is based on Canon's star Subject to change without notic	-			
	connection.	sobject to change without holic				

Canon Inc. canon.com Canon Europe canon-europe.com English edition Canon Europa NV 2017



Superfast, lab-quality prints from smart devices and more

Small, elegant and effortlessly portable this Wi-Fi photo printer makes it easy to create unique, high quality and durable prints straight from compatible smart devices, SD cards or cameras – wherever you go.

Product Details:

Product name	Mercury Code	EAN Code	
COMPACT PRINTER SELPHY CP1300 BK EU20	2234C002AA	4549292090512	
COMPACT PRINTER SELPHY CP1300 WH EU20	2235C002AA	4549292091182	
COMPACT PRINTER SELPHY CP1300 PK EU20	2236C002AA	4549292091243	

Optional Accessories:

Product name	Mercury Code	EAN Code			
PAPER CASSETTE (TRAY)					
Paper Cassette PCC-CP400 (Credit card size)	6202B001AA	4960999846941			
COLOUR INK/PAPER SET					
Colour Ink/Paper Set RP-1080V (Postcard size)	8569B001AA	4960999980065			
Colour Ink/Paper Set RP-108 (Postcard size)	8568B001AA	4960999980034			
Colour Ink/Paper Set KP-108IN (Postcard size)	3115B001AA	4960999616889			
Colour Ink/Paper Set KP-36IP (Postcard size)	7737A001AH	4960999047034			
Colour Ink/Paper Set KC-36IP (Credit card size)	7739A001AH	4960999047058			
Colour Ink/Paper Set KC-18IF (Card size sticker)	7741A001AG	4960999047072			
Colour Ink/Paper Set KC-18IL (Card size, 8 labels/page)	7740A001AH	4960999047065			
Colour Ink/Paper Set KC-18IS (Card size, square label)	7429B001AA	4960999922171			
Bundle KC-18IS / PCC-CP400	6202B003AA	8714574593685			
POWER SUPPLIES					
Charger Adapter CG-CP200	6203B001AA	4960999905723			
Battery Pack NB-CP2LH	0749C001AA	4549292045055			
Battery Pack NB-CP2L	0188B001AB	4960999258980			
MISCELLANEOUS					
Carrying Case DCC-CP2 Beige	0030X597	8714574532271			
Carrying Case DCC-CP2 Grey	0035X550	8714574577135			
Carrying Case DCC-CP3 Black	0039X580	8714574617275			







Superfast, lab-quality prints from smart devices and more

Small, elegant and effortlessly portable this Wi-Fi photo printer makes it easy to create unique, high quality and durable prints straight from compatible smart devices, SD cards or cameras – wherever you go.

Sales Start Date: September 2017

SELPHY CP1300



Measurement / Logistic Information:

Product name	Mercury Code	Pack type	Pack Description	Quantity	Length (mm)	Width (mm)	Height (mm)	Gross Weight (kg)
COMPACT PRINTER SELPHY CP1300 BK EU20	2234C002AA	EA	Each	1	250	220	136	1.80
COMPACT PRINTER SELPHY CP1300 WH EU20	2235C002AA	СТ	Carton	6	460	429	309	11.87
COMPACT PRINTER SELPHY CP1300 PK EU20	2236C002AA	EP	Euro pallet	36	1200	800	1077	81.5
			Layers per Pallet	3				
			Cartons per Layer	2				
			Products per layer	12				

What's in the box?

- Compact Photo Printer SELPHY CP1300
- Paper Cassette (Postcard size)
- Compact Power Adapter CA-CP200 B
- AC Cable
- User Manual Kit

