
PIXMA TS205

EASY AFFORDABLE EVERYDAY PHOTO AND DOCUMENT PRINTING

Print vivid 4x6" borderless photos and high quality everyday documents with crisp text using this affordable, compact and practical printer.







- Print vivid 4x6" borderless photos and high quality documents
- Easy to set up and use with simple USB connectivity
- Enjoy ink and energy savings with XL inks and Auto Power off
- Create and print photos in new ways with My Image Garden















PRODUCT RANGE



PIXMA E304



PIXMA TS205



PIXMA E204

PIXMA TS305 PIXMA E304 PIXMA TS205 PIXMA E204



TECHNICAL SPECIFICATIONS

PIXMA TS205

GENERAL SPECIFICATIONS

Functions
PRINTER SPECIFICATIONS
Print Resolution
Print Technology
Mono Print Speed
Colour Print Speed
Photo Print Speed

Borderless Printing

CARTRIDGES AND YIELDS Standard Ink Cartridges

Optional XL Ink Cartridges

Cartridge Yield (Plain paper)

Cartridge Yield (Photo print)

PAPER SUPPORT Paper Types

Maximum Paper Input Paper Sizes

Paper Weight

INTERFACE Display Type & Size Interface Type - PC / Mac

SOFTWARE
Supported Operating Systems

Minimum System
Requirements

Software Included

Print

Up to 4800 ^[1] x 1200 dpi 2 FINE Cartridges (Black and Colour) Approx. 7.7 ipm ^[2] Approx. 4.0 ipm ^[2] Borderless 10x15cm : Approx. 65 seconds ^[3] Yes (10x15cm)

PG-545 (Pigment Black) CL-546 (Colour) PG-545XL (Pigment Black XL) CL-546XL (Colour XL) A4 colour documents printing ^[4] Black: 180 pages Black XL: 400 pages Colour: 180 pages Colour XL: 300 pages

10x15cm colour photo printing ^[5] Black: 1445* photos Black XI: 3520* photos Colour: 55 photos Colour XI: 90 photos *Estimated supplemental yield

Plain Paper
Photo Paper Plus Glossy II (PP-201)
Glossy Photo Paper "Everyday Use" (GP-501)
Rear tray: Max.60 sheets (plain paper)
Plain paper: A4, LTR
Photo paper: 10x15cm

Plain Paper: 64-105 g/m², Canon specialty paper: max paper weight: approx. 275 g/m² (Photo Paper Plus Glossy II (PP-201))

No display Hi-Speed USB (B Port)

Windows 10 , Windows 8.1, Windows 7 SP1 Note: For Windows , .NET Framework 4.5.2 or 4.6 is required OS X 10.10.5~OS X 10.11, macOS 10.12

Windows: 3.1GB disk space, Internet Explorer 8 Mac: Internet connection, 1.5GB disk space, Safari 5 Display: 1024 x 768 XGA

Printer Driver My Image Garden with Full HD Movie Print ^[6] Quick Menu Easy-WebPrint EX (download) ^[7] PHYSICAL FEATURES
Weight
Dimensions (W x D x H)
Acoustic Noise Levels
Operating Temperature
Operating Humidity

Operating Humidity
Power Source
Power Consumption

approx. 2.5 kg approx. 426 x 255 x 131mm approx. 46.0dB(A) ^[8] 5-35°C 10-90%RH (no dew condensation)

AC 100-240V, 50/60Hz

Off: Approx. 0.2 W Standby (USB connection to PC): Approx. 2.1 W Standby (all ports connected): Approx. 1.7 W Time to enter Standby mode: 1 minutes Printing (USB connection to PC): Approx. 10 W [9]

Footnotes

[1] Ink droplets can be placed with a minimum pitch of 1/4800 inch

- 121 A4 document print speed on plain paper is measured based on average of ESAT in Office Category Test of ISO/IEC 24734 standard.
- [3] Photo print speed is based on default driver setting using ISO/JIS-SCID N2 standard on Canon Photo Paper Plus Glossy II and does not take into account data processing time on host computer.
- [4] Declared yield value in accordance with ISO/IEC 24711. Values obtained by continuous printing.
- [5] Declared yield value in accordance with ISO/IEC 29102. Values obtained by continuous printing.
- (6) Full HD Movie Print is available for MOV and MP4 movie files created by select Canon digital cameras and camcorders. Requires installation of software bundled with Canon video or digital camera, from which the movie was captured. MOV files require: ZoomBrowser EX / ImageBrowser (version 6.5 or later), MP4 files require: ImageBrowser EX (version 1.0 or later).
- [7] Easy-WebPrint EX requires Internet Explorer 8 or later
- (8) When printing ISO/JIS-SCID N2 pattern on 10x15cm Photo Paper Plus Glossy II using default settings.
- [9] When printing ISO/JIS-SCID N2 (printed by inkjet printer) on A4 size plain paper using default settings.

Standard disclaimers

- All specifications subject to change without notice.
- Print speed may vary depending on system configuration, interface, software, document complexity, print mode, page coverage, type of paper used etc.
- Ink yield may vary depending on texts/photos printed, applications software used, print mode and type of paper used. For yield information see www.canoneurope.com/ink/yield
- All brand and product names are trademarks of their respective companies.
- Microsoft, Windows and the Windows logo are trademarks, or registered trademarks of Microsoft Corporation in the United States and/or other countries.



Canon Inc. canon.com Canon Europe canon-europe.com English edition Canon Europa NV 2018

EASY AFFORDABLE EVERYDAY PHOTO AND DOCUMENT PRINTING

Print vivid 4x6" borderless photos and high quality everyday documents with crisp text using this affordable, compact and practical printer.

Sales Start Date: January 2018



PIXMA TS205

PRODUCT DETAILS:

Product Name	Mercury Code	EAN Code	Recommended Retail Price		
PIXMA TS205 EUR	2319C006AA	4549292096132			

CONSUMABLES:

Product Name	Mercury Code	EAN Code	Recommended Retail Price
Standard size			
PG-545	8287B001AA	4960999974507	
CL-546	8289B001AA	4960999974521	
XL size			
PG-545XL	8286B001AA	4960999974491	
CL-546XL	8288B001AA	4960999974514	



EASY AFFORDABLE EVERYDAY PHOTO AND DOCUMENT PRINTING

PIXMA TS205

Print vivid 4x6" borderless photos and high quality everyday documents with crisp text using this affordable, compact and practical printer.



MEASUREMENT / LOGISTIC INFORMATION:

Product Name	Mercury Code	Pack description	Quantity per pack	Length (mm)	Width (mm)	Height (mm)	Gross Weight (kg)	Net Weight (kg)
PIXMA TS205 EUR	2319C006AA	Individual	1	483.0	194.0	396.2	4.8	3.0
		Pallet (Upper)	36	974.0	1172.0	1193.1	174.2	172.8
		Pallet (Bottom)	36	974.0	1172.0	1193.1	174.2	172.8

What's in the box?

- Single function printer PIXMA TS205
- 2 FINE cartridges
- Power cord

- Setup CD-ROM
- Manuals and other documents

