

PIXMA TS8252

SUPERB PHOTOS FROM A 6-INK ALL- IN-ONE WITH WIRELESS CONNECTIVITY

This All-In-One printer boasts contemporary looks as well as producing stunning photos. 6 individual inks, including Photo Blue, print exceptional photos up to A4, all of which can be controlled via a smart device.



- Exceptional photo printing from 6 individual inks
- Smart device and cloud connectivity with PIXMA Cloud Link
- Large touchscreen with intuitive user interface
- 2-way paper feed for total flexibility
- Optional XL and XXL* cartridges to cut costs and print more
*Subject to availability in your region



6 Individual Inks



Connectivity



PIXMA Cloud Link



Auto 2-sided Print



Borderless Photo Printing



Memory Card

PRODUCT RANGE



PIXMA TS8250



PIXMA TS9150 Series



PIXMA TS9550 Series

PIXMA TS8250

PIXMA TS9150 Series
PIXMA TS9550 Series
PIXMA TS6250 Series

Canon

Live for the story_

TECHNICAL SPECIFICATIONS

PIXMA TS8252

GENERAL SPECIFICATIONS

Model Numbers

PIXMA TS8252 (RED)

Functions

Wireless, Print, Copy, Scan, Cloud Link

PRINTER SPECIFICATIONS

Print Resolution

Up to 4800^[1] x 1200 dpi

Print Technology

6 Individual Ink Tanks (PGBK, BK, C, M, Y, PB)

ChromaLife100 inks

Approx. 15.0 ipm^[2]

Approx. 10.0 ipm^[2]

Borderless 10x15cm : Approx. 17 seconds^[3]

Yes (A4, Letter, 20x25cm, 13x18cm, 10x15cm,

13x13cm, 8.9x8.9cm)

Auto Duplex Print (A4, A5, B5, Letter - Plain Paper)

Yes

CARTRIDGES AND YIELDS

Standard Ink Cartridges

6 individual ink tanks
PGI-580PGBK (Pigment Black)
CLI-581BK (Black)
CLI-581C (Cyan)
CLI-581M (Magenta)
CLI-581Y (Yellow)
CLI-581PB (Photo Blue)

Optional XL Ink Cartridges

High yield XL ink tanks
PGI-580PGBK XL (Pigment Black)
CLI-581BK XL (Black)
CLI-581C XL (Cyan)
CLI-581M XL (Magenta)
CLI-581Y XL (Yellow)
CLI-581PB XL (Photo Blue)

Optional XXL Ink Cartridges

High yield XXL ink tanks
PGI-580PGBK XXL (Pigment Black)
CLI-581BK XXL (Black)
CLI-581C XXL (Cyan)
CLI-581M XXL (Magenta)
CLI-581Y XXL (Yellow)
CLI-581PB XXL (Photo Blue)

Ink Tanks Yield (Plain paper)

A4 Colour Document^[4]
Pigment Black: 200 pages
Pigment Black XL: 400 pages
Pigment Black XXL: 600 pages
Black: 750* pages
Black XL: 2280* pages
Black XXL: 4590* pages
Cyan: 259 pages
Cyan XL: 519 pages
Cyan XXL: 830 pages
Magenta: 223 pages
Magenta XL: 466 pages
Magenta XXL: 747 pages
Yellow: 259 pages
Yellow XL: 519 pages
Yellow XXL: 830 pages
Photo Blue: 1660* pages
Photo Blue XL: 4710* pages
Photo Blue XXL: 9140* pages

* Estimated supplemental yield

Ink Tanks Yield (Photo print)

10x15cm photo^[5]
Pigment Black: 1444* photos
Pigment Black XL: 3883* photos
Pigment Black XXL: 7337* photos
Black: 213* photos
Black XL: 505* photos
Black XXL: 802* photos
Cyan: 80 photos
Cyan XL: 178 photos
Cyan XXL: 304 photos
Magenta: 107 photos
Magenta XL: 247 photos
Magenta XXL: 406 photos
Yellow: 80 photos
Yellow XL: 178 photos
Yellow XXL: 304 photos
Photo Blue: 240 photos
Photo Blue XL: 505 photos
Photo Blue XXL: 802 photos

* Estimated supplemental yield

PAPER SUPPORT

Paper Types

Plain Paper
Canon High Resolution Paper (HR-101N)
Canon Pro Platinum (PT-101)
Canon Plus Glossy II (PP-201)
Canon Pro Luster (LU-101)
Canon Plus Semi-gloss (SG-201)
Canon "Everyday Use" (GP-501)
Canon Matte (MP-101)
Envelopes
Other Fine Art Papers
Printable Discs
Removable Photo Stickers (RP-101)
Magnetic Photo Paper (MG-101)
Rear Tray: Max. 20 sheets (photo paper) or Max. 100 sheets (plain paper)
Front Cassette: Max. 100 sheets (plain paper)
Multi-purpose Tray: Printable Nail Stickers (NL-101)/1 printable CD, DVD or Blu-Ray Disc

Maximum Paper Input

Paper Sizes

Rear Tray:
A4/A5/B5/LTR/LGL/20x25cm/13x18cm/10x15cm/13x13 cm/8.9x8.9cm, Envelopes(DL,COM10)
[Custom size] width 55mm - 215.9 mm, length 89mm - 676mm

Front Cassette: A4, A5, B5, LTR
[Custom size] width 148.0 mm - 215.9 mm, length 210mm - 297mm

Rear Tray: Plain paper 64 - 105 g/m², Canon photo paper up to 300 g/m²
Front Cassette: Plain Paper: 64-105 g/m²

Paper Weight

SCANNER SPECIFICATIONS

Scanner Type

Scanner Resolution (Optical)

Scanning Depth (Input / Output)

Maximum Document Size

CIS flatbed photo and document scanner
2400 x 4800 dpi^[6]
Colour: RGB each 16bit/8bit
Greyscale: 16 bit / 8 bit
216 x 297 mm

COPIER SPECIFICATIONS

Copy Speed

Multiple Copy

Copy Functions

Copy Zoom

sFCOT: Approx. 19sec^[8]
sESAT: Approx. 6.5ipm^[8]
max. 99 pages
Document Copying, Photo Copying, Borderless copy, 2-sided copy, 2-on-1 and 4-on-1 copy, Frame erase copy, Disc Label Copy, ID copy
25 - 400% (in 1% increments)
Fit to page
A5 to A4, B5 to A4, A4 to A5 and A4 to B5

INTERFACE

Display Type & Size

Display Languages

10.8cm LCD (TFT colour/Touch)
33 Languages Selectable: Japanese/English(mm & inch)/German/French/Italian/Spanish/Dutch/Portuguese/Norwegian/Swedish/Danish/Finnish/Russian/Czech/Hungarian/Polish/Slovene/Turkish/Greek/Simplified Chinese/Traditional Chinese/Korean/Indonesian/Slovakian/Estonian/Latvian/Lithuanian/Ukrainian/Romanian/Bulgarian/Thai/Croatian/Vietnamese

Interface Type - PC / Mac

Hi-Speed USB (B Port)
Wi-Fi: IEEE802.11 b/g/n
Wi-Fi Security: WPA-PSK, WPA2-PSK, WEP, Administration password
Wireless LAN Frequency Band: 2.4GHz

Interface Type - Other

Canon PRINT Inkjet/SELPHY app
Bluetooth
Message In Print app
Nail Sticker app
PIXMA Cloud Link
Canon Print Service Plugin (Android)
Google Cloud Print
Apple AirPrint
Wireless Direct
Access Point Mode
WLAN PictBridge
Memory Card Slot
Mopria (Android)



Live for the story_

TECHNICAL SPECIFICATIONS

PIXMA TS8252

Compatible Memory Cards	SD Card, SDHC Card, SDXC Card, miniSD Card*, micro SD Card*, mini SDHC Card*, micro SDHC Card*, microSDXC Card* <small>*Using recommended adapter - not supplied</small>
SOFTWARE	
Supported Operating Systems	Windows 10, Windows 8.1, Windows 7 SP1 Operation can only be guaranteed on a PC with pre-installed Windows 7 or later. OS X 10.10.5~OS X 10.11, macOS 10.12~macOS 10.13
Supported Mobile Systems	iOS, Android, Windows 10 Mobile
Minimum System Requirements	Windows: 3.1GB disk space, Internet Explorer 8 Mac: Internet connection, 1.5GB disk space, Safari 5 Display: 1024 x 768 XGA
Software Included	MP Driver including Scanning Utility Easy-WebPrint EX (download) ^[9]
PHYSICAL FEATURES	
Weight	approx. 6.6kg
Dimensions (W x D x H)	approx. 373 x 319 x 140 mm
Acoustic Noise Levels	approx. 49dB(A) ^[10]
Recommended Operating Environment	Temperature: 15-30°C Humidity: 10-80%RH (no dew condensation)
Power Source	AC 100-240V, 50/60Hz
Power Consumption	Off: Approx. 0.3W Standby (connected to PC via USB): Approx. 1.1W (scanning lamp off) Standby (all ports connected): Approx. 2.0W (scanning lamp is off) Time to enter Standby mode: 10min 56sec Copying: Approx. 16W ^[11]

Footnotes

- ^[1] Ink droplets can be placed with a minimum pitch of 1/4800 inch
- ^[2] A4 document print speed on plain paper is measured based on average of ESAT in Office Category Test of ISO/IEC 24734 standard.
- ^[3] Photo print speed is based on default driver setting using ISO/JIS-SCID N2 standard on Canon Photo Paper Plus Glossy II and does not take into account data processing time on host computer.
- ^[4] Declared yield value in accordance with ISO/IEC 24711 standard. Values obtained by continuous printing.
- ^[5] Declared yield value in accordance with ISO/IEC 29102. Values obtained by continuous printing.
- ^[6] Optical resolution is a measure of maximum hardware sampling resolution, based on ISO 14473 standard
- ^[7] Colour document scan speed is measured with ISO/IEC 29183 Target A. Scan speed indicates the time measured between pressing the scan button of the scanner driver and the on-screen status display turns off. Scan speed may vary depending on system configuration, interface, software, scan mode settings and document size etc.
- ^[8] Colour document copy speed is measured based on average of sFCOT and sESAT in Performance Test of ISO/IEC 29183 standard.
- ^[9] Easy-WebPrint EX requires Internet Explorer 8 or later
- ^[10] When printing ISO/JIS-SCID N2 pattern on 10x15cm Photo Paper Plus Glossy II using default settings.
- ^[11] When copying ISO/JIS-SCID N2 (printed by inkjet printer) on A4 size plain paper using default settings.

Standard disclaimers

- All specifications subject to change without notice.
- Print speed may vary depending on system configuration, interface, software, document complexity, print mode, page coverage, type of paper used etc.
- Ink yield may vary depending on texts/photos printed, applications software used, print mode and type of paper used. For yield information see www.canon-europe.com/ink/yield
- Scan speed may vary depending on system configuration, interface, software, scan mode settings and document size etc.
- Copy speed may vary depending on document complexity, copy mode, page coverage, type of paper used etc. and does not take into account warming up time.
- All brand and product names are trademarks of their respective companies.
- Microsoft, Windows and the Windows logo are trademarks, or registered trademarks of Microsoft Corporation in the United States and/or other countries.



Canon Inc.
canon.com
Canon Europe
canon-europe.com
English edition
Canon Europa NV 2018

SUPERB PHOTOS FROM A 6-INK ALL-IN-ONE WITH WIRELESS CONNECTIVITY

PIXMA TS8252

This All-In-One printer boasts contemporary looks as well as producing stunning photos. 6 individual inks, including Photo Blue, print exceptional photos up to A4, all of which can be controlled via a smart device.

Sales Start Date: Sep 2018



PRODUCT DETAILS:

Product Name	Mercury Code	EAN Code
PIXMA TS8252 RE EUR	2987C046AA	4549292117769

CONSUMABLES:

Product Name	Mercury Code	EAN Code
Standard size		
PGI-580 PGBK	2078C001AA	4549292087062
CLI-581 BK	2106C001AA	4549292087079
CLI-581 C	2103C001AA	4549292087086
CLI-581 M	2104C001AA	4549292087093
CLI-581 Y	2105C001AA	4549292087116
CLI-581 PB	2107C001AA	4549292087123
XL size		
PGI-580XL PGBK	2024C001AA	4549292086980
CLI-581XL BK	2052C001AA	4549292086997
CLI-581XL C	2049C001AA	4549292087017
CLI-581XL M	2050C001AA	4549292087024
CLI-581XL Y	2051C001AA	4549292087031
CLI-581XL PB	2053C001AA	4549292087055
XXL size		
PGI-580XXL PGBK	1970C001AA	4549292086836
CLI-581XXL BK	1998C001AA	4549292086874
CLI-581XXL C	1995C001AA	4549292086898
CLI-581XXL M	1996C001AA	4549292086928
CLI-581XXL Y	1997C001AA	4549292086959
CLI-581XXL PB	1999C001AA	4549292086966

Canon

Live for the story_

SUPERB PHOTOS FROM A 6-INK ALL-
IN-ONE WITH WIRELESS CONNECTIVITY

PIXMA TS8252

This All-In-One printer boasts contemporary looks as well as producing stunning photos. 6 individual inks, including Photo Blue, print exceptional photos up to A4, all of which can be controlled via a smart device.



MEASUREMENT / LOGISTIC INFORMATION:

Product Name	Mercury Code	Pack type	Pack description	Quantity per pack	Length (mm)	Width (mm)	Height (mm)	Gross Weight (kg)	Net Weight (kg)
PIXMA TS8252 RE EUR	2987C046AA	EA	Individual	1	446	212	457.9	8.4	6.5
			Pallet (Upper)	20	1070	897	920.3	169.1	167.8
			Pallet (Bottom)	30	1070	897	1378.2	253.4	251.7

What's in the box?

- All-In-One printer - PIXMA TS8252
- Set-up ink tanks
- Power cord
- Set-up CD-ROM
- Manuals and other documents

