

PIXMA TS9550

COMPACT, CONNECTED A3-CAPABLE ALL-IN-ONE FOR ALL YOUR BUSINESS NEEDS

With A3-capability, seamless touchscreen navigation, clever cloud-storage printing and advanced connectivity, PIXMA TS9550's professional precision makes it the ideal business partner.



- Compact A3 printer with large touchscreen
- Wireless connectivity with Canon PRINT app and Ethernet capability
- Effortless access to popular cloud storage via PIXMA Cloud Link
- 20-sheet ADF*, 2-way paper feeder and auto 2-sided printing**
- Dedicated pigment black ink for professional documents

*A4/LTR/LGL sizes only
**(A5/A4/LTR size plain paper only)



PRODUCT RANGE



PIXMA TS9550



PIXMA TS9150 Series



PIXMA TS8250 Series

PIXMA TS9550

PIXMA TS9150 Series
PIXMA TS8250 Series
PIXMA TS6250 Series

Canon

Live for the story_

TECHNICAL SPECIFICATIONS

PIXMA TS9550

GENERAL SPECIFICATIONS

Model Numbers
PIXMA TS9550 (BLACK)
Functions
Wireless / Ethernet, Print, Copy, Scan, Cloud Link

PRINTER SPECIFICATIONS

Print Resolution
Up to 4800^[1] x 1200 dpi
Print Technology
6 Individual Ink Tanks (PGBK, BK, C, M, Y, PB)
ChromaLife100 inks
Mono Print Speed
Approx. 15.0 ipm^[2]
Colour Print Speed
Approx. 10.0 ipm^[2]
Photo Print Speed
Borderless 10x15cm: Approx. 21 seconds^[3]
Borderless Printing
Yes (A4, Letter, 20x25cm, 13x18cm, 10x15cm, 13x13cm, 8.9x8.9cm, 10x10cm, 17.5x25cm, 25x30cm, 30x30cm)
Two Sided Printing
Auto Duplex Print (A4, A5, B5, Letter - Plain Paper)
Direct Disc Printing
Yes

CARTRIDGES AND YIELDS

Standard Ink Cartridges
5 individual ink tanks
PGI-580PGBK (Pigment Black)
CLI-581BK (Black)
CLI-581C (Cyan)
CLI-581M (Magenta)
CLI-581Y (Yellow)
Optional XL Ink Cartridges
High yield XL ink tanks
PGI-580PGBK XL (Pigment Black)
CLI-581BK XL (Black)
CLI-581C XL (Cyan)
CLI-581M XL (Magenta)
CLI-581Y XL (Yellow)
Optional XXL Ink Cartridges
High yield XL ink tanks
PGI-580PGBK XXL (Pigment Black)
CLI-581BK XXL (Black)
CLI-581C XXL (Cyan)
CLI-581M XXL (Magenta)
CLI-581Y XXL (Yellow)

Ink Tanks Yield (Plain paper)
A4 Colour Document^[4]
Pigment Black: 200 pages
Pigment Black XL: 400 pages
Pigment Black XXL: 600 pages
Black: 1451* pages
Black XL: 3120* pages
Black XXL: 6360* pages
Cyan: 256 pages
Cyan XL: 515 pages
Cyan XXL: 820 pages
Magenta: 237 pages
Magenta XL: 474 pages
Magenta XXL: 760 pages
Yellow: 257 pages
Yellow XL: 514 pages
Yellow XXL: 824 pages
* Estimated supplemental yield

Ink Tanks Yield (Photo print)
10x15cm photo^[5]
Pigment Black: 1263* photos
Pigment Black XL: 3373* photos
Pigment Black XXL: 5500* photos
Black: 231* photos
Black XL: 520* photos
Black XXL: 858* photos
Cyan: 83 photos
Cyan XL: 170 photos
Cyan XXL: 282 photos
Magenta: 108 photos
Magenta XL: 225 photos
Magenta XXL: 367 photos
Yellow: 99 photos
Yellow XL: 199 photos
Yellow XXL: 322 photos
* Estimated supplemental yield

PAPER SUPPORT

Paper Types
Plain Paper
Canon High Resolution Paper (HR-101N)
Canon Pro Platinum (PT-101)
Canon Plus Glossy II (PP-201)
Canon Pro Luster (LU-101)
Canon Plus Semi-gloss (SG-201)
Canon "Everyday Use" (GP-501)
Canon Matte (MP-101)
Envelopes
Other Fine Art Papers
Printable Discs
Removable Photo Stickers (RP-101)
Magnetic Photo Paper (MG-101)
Maximum Paper Input
Rear Tray: Max. 20 sheets (photo paper) or Max. 100 sheets (plain paper)
Front Cassette: Max. 100 sheets (plain paper)
Multi-purpose Tray: Printable Nail Stickers (NL-101)/1 printable CD, DVD or Blu-Ray Disc
Paper Sizes
Rear Tray:
A4/A5/B5/LTR/LGL/20x25cm/13x18cm/10x15cm/13x13cm/8.9x8.9cm/10x10cm/17.5x25cm/25x30cm/30x30cm, Envelopes(DL,COM10)
[Custom size] width 55mm - 215.9 mm, length 89mm - 676mm
Front Cassette: A4, A5, B5, LTR
[Custom size] width 148.0 mm - 215.9 mm, length 210mm - 297mm
Paper Weight
Rear Tray: Plain paper 64 - 105 g/m², Canon photo paper up to 300 g/m²
Front Cassette: Plain Paper: 64-105 g/m²

SCANNER SPECIFICATIONS

Scanner Type
Flatbed, ADF and CIS colour scanner
Scanner Resolution (Optical)
2400 x 4800 dpi^[6]
Scanning Depth (Input / Output)
Colour: RGB each 16bit/8bit
Greyscale: 16 bit / 8 bit
Maximum Document Size
Flatbed: A4, LTR (216x297mm)
ADF: A4, LTR, LGL

COPIER SPECIFICATIONS

Copy Speed
sFCOT: Approx. 19sec^[8]
sESAT: Approx. 6.5ipm^[8]
sESAT ADF: Approx. 8.0 ipm^[8]
max. 99 pages
Multiple Copy
Copy Functions
Document Copying, Photo Copying, Borderless copy, 2-sided copy, 2-on-1 and 4-on-1 copy, Frame erase copy, Disc Label Copy, ID copy
Copy Zoom
25 - 400% (in 1% increments)
Fit to page
A5 to A4, B5 to A4, A4 to A5 and A4 to B5

INTERFACE

Display Type & Size
10.8cm LCD (TFT colour/Touch)
Display Languages
33 Languages Selectable: Japanese/English(mm & inch)/German/French/Italian/Spanish/Dutch/Portuguese/Norwegian/Swedish/Danish/Finnish/Russian/Czech/Hungarian/Polish/Slovene/Turkish/Greek/Simplified Chinese/Traditional Chinese/Korean/Indonesian/Slovakian/Estonian/Latvian/Lithuanian/Ukrainian/Romanian/Bulgarian/Thai/Croatian/Vietnamese



TECHNICAL SPECIFICATIONS

PIXMA TS9550

Automatic Document Feeder	Up to 20 Sheets (1-sided)
Interface Type - PC / Mac	Hi-Speed USB (B Port) Ethernet: 10/100Mbps (auto switchable) Wi-Fi: IEEE802.11 b/g/n/a Wi-Fi Security: WPA-PSK, WPA2-PSK, WEP, Administration password Wireless LAN Frequency Band: 2.4GHz
Interface Type - Other	Canon PRINT Inkjet/SELPHY app Bluetooth Message In Print app Nail Sticker app PIXMA Cloud Link Canon Print Service Plugin (Android) Google Cloud Print Apple AirPrint Wireless Direct Access Point Mode LAN/WLAN PictBridge Memory Card Slot Mopria (Android)
Compatible Memory Cards	SD Card, SDHC Card, SDXC Card, miniSD Card*, micro SD Card* mini SDHC Card*, micro SDHC Card*, microSDXC Card* *Using recommended adapter - not supplied
SOFTWARE	
Supported Operating Systems	Windows 10, Windows 8.1, Windows 7 SP1 Operation can only be guaranteed on a PC with pre-installed Windows 7 or later. OS X 10.10.5~OS X 10.11, macOS 10.12~macOS 10.13
Supported Mobile Systems	iOS, Android, Windows 10 Mobile
Minimum System Requirements	Windows: 3.1GB disk space, Internet Explorer 8 Mac: Internet connection, 1.5GB disk space, Safari 5 Display: 1024 x 768 XGA
Software Included	MP Driver including Scanning Utility Easy-WebPrint EX (download) ^[9]

PHYSICAL FEATURES

Weight

approx. 9.7kg

Dimensions (W x D x H)

approx. 468 x 366 x 193 mm

Acoustic Noise Levels

approx. 49.5dB(A)^[11]

Recommended Operating Environment

Temperature: 15-30°C

Humidity: 10-80%RH (no dew condensation)

Power Source

AC 100-240V, 50/60Hz

Power Consumption

Off: Approx. 0.3W

Standby (connected to PC via USB): Approx. 1.2W (scanning lamp off)

Standby (all ports connected): Approx. 2.0W (scanning lamp is off)

Time to enter Standby mode: 10min 56sec

Copying: Approx. 14W^[12]

Footnotes

- [1] Ink droplets can be placed with a minimum pitch of 1/4800 inch
- [2] A4 document print speed on plain paper is measured based on average of ESAT in Office Category Test of ISO/IEC 24734 standard.
- [3] Photo print speed is based on default driver setting using ISO/JIS-SCID N2 standard on Canon Photo Paper Plus Glossy II and does not take into account data processing time on host computer.
- [4] Declared yield value in accordance with ISO/IEC 24711 standard. Values obtained by continuous printing.
- [5] Declared yield value in accordance with ISO/IEC 29102. Values obtained by continuous printing.
- [6] Optical resolution is a measure of maximum hardware sampling resolution, based on ISO 14473 standard.
- [7] Colour document scan speed is measured with ISO/IEC 29183 Target A. Scan speed indicates the time measured between pressing the scan button of the scanner driver and the on-screen status display turns off. Scan speed may vary depending on system configuration, interface, software, scan mode settings and document size etc.
- [8] Copy speeds are the average of sFCOT and sESAT, ISO/IEC 29183. Copy speeds (ADF) are ESAT of copy in sequence, ISO/IEC 24735. Copy speed may vary depending on document complexity, copy mode, page coverage, type of paper used etc. and does not take into account warming up time.
- [9] Easy-WebPrint EX requires Internet Explorer 8 or later
- [10] When printing ISO/JIS-SCID N2 pattern on 10x15cm Photo Paper Plus Glossy II using default settings.
- [11] When copying ISO/JIS-SCID N2 (printed by inkjet printer) on A4 size plain paper using default settings.
- [12] Some colours may not be available in your region.

Standard disclaimers

- All specifications subject to change without notice.
- Print speed may vary depending on system configuration, interface, software, document complexity, print mode, page coverage, type of paper used etc.
- Ink yield may vary depending on texts/photos printed, applications software used, print mode and type of paper used. For yield information see www.canon-europe.com/ink/yield
- Scan speed may vary depending on system configuration, interface, software, scan mode settings and document size etc.
- Copy speed may vary depending on document complexity, copy mode, page coverage, type of paper used etc. and does not take into account warming up time.
- All brand and product names are trademarks of their respective companies.
- Microsoft, Windows and the Windows logo are trademarks, or registered trademarks of Microsoft Corporation in the United States and/or other countries.



COMPACT, CONNECTED A3-CAPABLE ALL-IN-ONE FOR ALL YOUR BUSINESS NEEDS

PIXMA TS9550

With A3-capability, seamless touchscreen navigation, clever cloud-storage printing and advanced connectivity, PIXMA TS9550's professional precision makes it the ideal business partner.

Sales Start Date: Nov 2018



PRODUCT DETAILS:

Product Name	Mercury Code	EAN Code
PIXMA TS9550 BK EUR	2988C006AA	4549292117608

CONSUMABLES:

Product Name	Mercury Code	EAN Code
Standard size		
PGI-580 PGBK	2078C001AA	4549292087062
CLI-581 BK	2106C001AA	4549292087079
CLI-581 C	2103C001AA	4549292087086
CLI-581 M	2104C001AA	4549292087093
CLI-581 Y	2105C001AA	4549292087116
XL size		
PGI-580XL PGBK	2024C001AA	4549292086980
CLI-581XL BK	2052C001AA	4549292086997
CLI-581XL C	2049C001AA	4549292087017
CLI-581XL M	2050C001AA	4549292087024
CLI-581XL Y	2051C001AA	4549292087031
XXL size		
PGI-580XXL PGBK	1970C001AA	4549292086836
CLI-581XXL BK	1998C001AA	4549292086874
CLI-581XXL C	1995C001AA	4549292086898
CLI-581XXL M	1996C001AA	4549292086928
CLI-581XXL Y	1997C001AA	4549292086959

Live for the story_

COMPACT, CONNECTED A3-CAPABLE ALL-IN-ONE FOR ALL YOUR BUSINESS NEEDS

PIXMA TS9550

With A3-capability, seamless touchscreen navigation, clever cloud-storage printing and advanced connectivity, PIXMA TS9550's professional precision makes it the ideal business partner.



MEASUREMENT / LOGISTIC INFORMATION:

Product Name	Mercury Code	Pack type	Pack description	Quantity per pack	Length (mm)	Width (mm)	Height (mm)	Gross Weight (kg)	Net Weight (kg)
PIXMA TS9550 BK EUR	2988C006AA	EA	Individual	1	550	272.5	484		
			Pallet (Upper)	16	1111	1101	972.5		
			Pallet (Bottom)	16	1111	1101	972.5		

What's in the box?

- All-In-One A3 inkjet printer – PIXMA TS9550
- Set-up ink tanks
- Power cord
- Set-up CD-ROM
- Manuals and other documents

The Canon logo is displayed in its signature red color and bold, sans-serif font.

Live for the story_