

# EF 600mm f/4L IS III USM

# AN EXCEPTIONAL SUPER- TELEPHOTO PERFORMANCE

Outstanding image quality and professional performance from the world's lightest 600mm f/4 lens,\* which can be used hand held thanks to its portable design and five-stop Image Stabilizer.



- Superb quality from advanced optics
- The world's lightest 600mm f/4 – ideal for travel\*
- Focus quickly and accurately on moving subjects
- Work confidently hand-held and in low-light conditions
- Shoot smarter and react more quickly, using customisable controls

## PRODUCT RANGE



EF 800mm f/5.6L IS USM



EF 600mm f/4L IS III USM



EF 500mm f/4L IS II USM

EF 800mm f/5.6L IS USM  
**EF 600mm f/4L IS III USM**  
EF 500mm f/4L IS II USM  
EF 400mm f/2.8L IS III USM  
EF 300mm f/2.8L IS USM II  
EF 200mm f/2L IS USM

**Canon**

Live for the story\_

# TECHNICAL SPECIFICATIONS

# EF 600mm f/4L IS III USM

## OPTICAL

### FEATURES/SPECIFICATIONS

Image size	Full Frame
35mm film equivalent focal length (mm)	-
Angle of view (horzntl, vertl, diagnol)	3°30', 2°20', 4°10'
Lens construction (elements/groups)	17/13
No. of diaphragm blades	9
Minimum aperture	32
Closest focusing distance (m)	4.2
Maximum magnification (x)	0.15
Distance Information	Yes
Image stabilizer <sup>15</sup>	5 Stops
AF actuator	Ring USM <sup>3</sup>

### PHYSICAL SPECIFICATIONS

Dust/moisture resistance <sup>4</sup>	Yes
Filter diameter (mm)	52 Drop in
Max. diameter x length (mm)	168 x 448
Weight (g)	3050

## ACCESSORIES

Lens cap	E-185C
Lens hood	ET-160 (WIII)
Lens case/pouch	Lens Soft Case LS600
Maximum number of Hood III compatible with Gelatin Filter Holder III	NC <sup>8</sup>
Maximum number of Hood IV compatible with Gelatin Filter Holder IV	NC <sup>8</sup>
Rear End Cap	Lens Dust Cap E
Magnification with Extension Tube EF12 II	0.18-0.02
Magnification with Extension Tube EF25 II	0.21-0.05
Extender Compatibility	Compatible (Mark III only)
Other Accessories	Canon drop-in 52mm filters Canon Drop-In Circular Polarizing Filter 52 (WIII) Canon Lens Short Hood ET-160B Lens Case 600C

### SPECIFICATIONS WITH EF 1.4X III

Focal Length	840
Maximum Aperture	5.6-45
Maximum Magnification	0.21
AF Possible	Yes
IS	Yes

### SPECIFICATIONS WITH EF 2X III

Focal Length	1200
Maximum Aperture	8-64
Maximum Magnification	0.31
AF Possible	Yes <sup>11</sup>
IS	Yes <sup>12</sup>

#### Footnote

- Image Circle Ø67.2mm
- Minimum aperture if using 1/3stop increments
- Full time Manual focus
- Lenses with dust/moisture resistance are fitted with a rubber ring on the lens mount which may cause slight abrasion of the camera mount. This in no way effects either the lens or camera performance.
- Not Compatible at wide angles
- Use the rear drop in filter holder
- Gelatin Filter Holder Adapter III required
- Use 52mm drop in filter holder
- When used with EF50mm f/2.5 Compact Macro
- Vignetting occurs during Tilt and Shift
- AF possible with Cameras that support F8 AF
- IS will not work with the following cameras EOS-1, EOS 5, EOS 100, EF-M, EOS 1000/F/n/Fn, EOS 700, EOS 10, EOS RT, EOS 600/630, EOS 850, EOS 750, EOS 620, EOS 650
- Lens dimensions when in retracted state
- AF not possible when used with in built extender and optional extender
- Tested under CIPA standards

Canon Inc.  
canon.com  
Canon Europe  
canon-europe.com  
English edition  
Canon Europa NV 2018

# AN EXCEPTIONAL SUPER-TELEPHOTO PERFORMANCE

## EF 600mm f/4L IS III USM

Outstanding image quality and professional performance from the world's lightest 600mm f/4 lens,\* which can be used hand held thanks to its portable design and five-stop Image Stabilizer.

Sales Start Date: December 2018 TBC



#### PRODUCT DETAILS:

Product Name	Mercury Code	EAN Code
EF 600mm f/4L IS III USM	3329C005AA	4549292136364

#### OPTIONAL ACCESSORIES:

Accessory Name	Mercury Code	EAN Code
<b>Power Supply</b>		
Lens Cap E-185C	3332C001AA	4549292136753
Lens Hood ET-160 (WIII)	3331C001AA	4549292136746
Short Hood ET-160B	3334C001AA	4549292136777
Lens Soft Case LS600	3330C001AA	4549292136739
Lens Hard Case 600C	3333C001AA	4549292136760
Drop-In Screw Filter Holder 52 (WIII)	3049C001AA	4549292118582
Drop in Circular Polarizing Filter PL-C 52 (WIII)	3050C001AA	4549292118599
Drop in Gelatine Filter Holder 52 (WIII)	3051C001AA	4549292118605

**Canon**

Live for the story\_

# AN EXCEPTIONAL SUPER-TELEPHOTO PERFORMANCE

## EF 600mm f/4L IS III USM

Outstanding image quality and professional performance from the world's lightest 600mm f/4 lens,\* which can be used hand held thanks to its portable design and five-stop Image Stabilizer.



### Measurement / Logistic Information:

Product Name	Mercury Code	Pack type	Pack description	Quantity per pack	Length (cm)	Width (cm)	Height (cm)	Gross Weight (kg)
EF 600mm f/4L IS III USM	3329C005AA	EA	Each	1	67.1	40	39.3	7.4953
		CT	Carton	1	67.1	40	39.3	8
		EP	Euro Pallet	6	120	80	93.6	58
			Layers per Pallet	2				
			Cartons per Layer	3				
			Products per layer	3				
LENS CAP E-185C	3332C001AA	EA	Each	1	20.1	7.1	20.4	0.2525
		CT	Carton	6	44.5	29.6	24.3	2.08
		EP	Euro Pallet		120	80		
			Layers per Pallet					
			Cartons per Layer					
			Products per layer					
LENS HOOD ET-160 (WIII)	3331C001AA	EA	Each	1	19	19	21.3	0.4595
		CT	Carton	2	44.5	29.6	24.3	1.48
		EP	Euro Pallet		120	80		
			Layers per Pallet					
			Cartons per Layer					
			Products per layer					
SHORT HOOD ET-160B	3334C001AA	EA	Each	1	18.95	10.75	19.3	0.3225
		CT	Carton	4	44.5	29.6	24.3	1.85
		EP	Euro Pallet		120	80		
			Layers per Pallet					
			Cartons per Layer					
			Products per layer					

**Canon**

Live for the story\_

# AN EXCEPTIONAL SUPER-TELEPHOTO PERFORMANCE

## EF 600mm f/4L IS III USM

Outstanding image quality and professional performance from the world's lightest 600mm f/4 lens,\* which can be used hand held thanks to its portable design and five-stop Image Stabilizer.



### Measurement / Logistic Information:

Product Name	Mercury Code	Pack type	Pack description	Quantity per pack	Length (cm)	Width (cm)	Height (cm)	Gross Weight (kg)
LENS SOFT CASE LS600	3330C001AA	EA	Each	1	23	25	55	1.1385
		CT	Carton	6	84	49.5	58.7	9.63
		EP	Euro Pallet		120	80		
			Layers per Pallet					
			Cartons per Layer					
			Products per layer					
LENS CASE 600C	3333C001AA	EA	Each	1	62.7	36.5	30.2	5.562
		CT	Carton	1	62.7	36.5	30.2	5.7
		EP	Euro Pallet		120	80		
			Layers per Pallet					
			Cartons per Layer					
			Products per layer					
Drop-In Screw Filter Holder 52 (WIII)	3049C001AA	EA	Each	1	9.8	3.5	10	0.1334
		CT	Carton	90	50.8	36.2	24.3	12.01
		EP	Euro Pallet		120	80		
			Layers per Pallet					
			Cartons per Layer					
			Products per layer					
Drop in Circular Polarizing Filter PL-C 52 (WIII)	3050C001AA	EA	Each	1	9.8	3.5	10	0.1334
		CT	Carton	90	50.8	36.2	23.6	12.01
		EP	Euro Pallet		120	80		
			Layers per Pallet					
			Cartons per Layer					
			Products per layer					

**Canon**

Live for the story\_

# AN EXCEPTIONAL SUPER-TELEPHOTO PERFORMANCE

## EF 600mm f/4L IS III USM

Outstanding image quality and professional performance from the world's lightest 600mm f/4 lens,\* which can be used hand held thanks to its portable design and five-stop Image Stabilizer.



### Measurement / Logistic Information:

Product Name	Mercury Code	Pack type	Pack description	Quantity per pack	Length (cm)	Width (cm)	Height (cm)	Gross Weight (kg)
Drop in Gelatine Filter Holder 52 (WIII)	3051C001AA	EA	Each	1	9.8	3.5	10	0.1314
		CT	Carton	90	50.8	36.2	23.6	11.83
		EP	Euro Pallet		120	80		
			Layers per Pallet					
			Cartons per Layer					
			Products per layer					

### What's in the box?

- EF 600mm f/4L IS III USM
- Lens Cap E-185C
- Lens Dust Cap E
- Lens Wide Strap B
- Drop-in Screw Filter Holder 52(WIII)
- Lens Soft Case LS600
- Lens Hood ET-160(WIII)
- User Manual Kit (EUR)

**Canon**

Live for the story\_