

RF 15-30mm F4.5-6.3 IS STM

EXPAND YOUR VIEW

Enjoy more creative freedom thanks to this RF lens that offers an ultra-wide zoom range. With close focusing and powerful Optical Image Stabilisation, it's perfect for sweeping landscapes and video.



- Zoom out, capture more
- Be a handheld hero
- Ultra-wide and very close – a lens that does both
- Fast and quiet focusing for stills and movies
- See your subject in glorious detail
- Intuitive control at your fingertips

PRODUCT RANGE



RF 15-30mm F4.5-6.3 IS STM



RF 24-105mm F4-7.1 IS STM



RF 24-240mm F4-6.3 IS USM

RF 15-30mm F4.5-6.3 IS STM
RF 24-105mm F4-7.1 IS STM
RF 24-240mm F4-6.3 IS USM
RF 100-400mm F5.6-8 IS USM

Canon

Live for the story_

TECHNICAL SPECIFICATIONS

RF 15-30mm F4.5-6.3 IS STM

OPTICAL FEATURES/SPECIFICATIONS

Image size	Full Frame
Angle of view (horzntl, vertl, diagnol)	100° 25' - 61° 55', 77° 20' - 43° 35', 110° 30' - 71° 35'
Lens construction (elements/groups)	13/11
Special optics	1 x PMo Aspherical, 2 x UD
Special features	-
No. of diaphragm blades	7
Minimum aperture	22-32
Closest focusing distance (m)	0.28 (at 15mm) (Manual Focus: 0.128) 0.28 (at 20mm) (Manual Focus: 0.28) 0.28 (at 30mm) (Manual Focus: 0.28)
Maximum magnification (x)	0.09 (at 15mm) (Manual Focus: 0.52) 0.11 (at 20mm) (Manual Focus: 0.11) 0.16 (at 30mm) (Manual Focus: 0.16)
Control Ring	via Focus ring
Image stabilizer OIS¹	5.5
Image stabilizer IBIS x OIS¹	7
AF actuator	STM
Coatings	Super Spectra
Fluorine	No
PHYSICAL SPECIFICATIONS	
Dust/moisture resistance	No
Exterior coating	-
Filter diameter (mm)	67
Max. diameter x length (mm)²	76.6 x 88.4
Weight (g)	390

ACCESSORIES

Lens cap	E-67 II
Lens hood	EW-73E
Lens case/pouch	LP1116
Rear cap	Lens Dust Cap RF
Extender Compatibility	Not Compatible
Other Accessories	Gelatin Filter Holder IV (67mm) Canon 67 mm Protect Lens Filter Canon PL-C B 67 mm Circular Polarising Filter

Footnote:

¹ Tested under CIPA standards

² Lens dimensions when in retracted state

Live for the story_

Canon Inc.
canon.com
Canon Europe
canon-europe.com
English edition
Canon Europa NV 2022

EXPAND YOUR VIEW

RF 15-30mm F4.5-6.3 IS STM

Enjoy more creative freedom thanks to this RF lens that offers an ultra-wide zoom range. With close focusing and powerful Optical Image Stabilisation, it's perfect for sweeping landscapes and video.

Sales Start Date : September 2022 (TBC)



PRODUCT DETAILS:

Product Name	Mercury Code	EAN Code
RF 15-30mm F4.5-6.3 IS STM	5775C005AA	4549292207347

COMPATIBLE ACCESSORIES:

Product Name	Mercury Code	EAN Code
Lens hood EW-73E (new-sold separately)	5814C001AA	4549292207422
Lens cap E-67 II centre pinch type (included)	6316B001AA	4960999845869
Lens dust cap RF (included)	2962C001AA	4549292115604
Lens case LP1116 (sold separately)	2780A001CA	4960999470757
Canon 67 mm Protect Lens Filter (sold separately)	2598A001AA	4960999430973
Canon PL-C B 67 mm Circular Polarising Filter (sold separately)	2189B001AA	4960999455778

Live for the story_

EXPAND YOUR VIEW

RF 15-30mm F4.5-6.3 IS STM

Enjoy more creative freedom thanks to this RF lens that offers an ultra-wide zoom range. With close focusing and powerful Optical Image Stabilisation, it's perfect for sweeping landscapes and video.



MEASUREMENT / LOGISTIC INFORMATION:

Product Name	Mercury Code	Pack type	Pack description	Quantity per pack	Length (cm)	Width (cm)	Height (cm)	Gross Weight (kg)
RF 15-30mm F4.5-6.3 IS STM	5775C005AA	EA	Each	1	12.2	12.2	18.3	0.5775
		CT	Carton	6	38.6	26.3	23.7	4.11
		EP	Euro Pallet	180	120	80	131.5	199.95
			Layers per Pallet	5				
			Cartons per Layer	6				
			Products per layer	36				
Lens hood EW-73E	5814C001AA	EA	Each	1	9.55	3.7	9.6	0.0395
		CT	Carton	48	44.5	29.6	24.3	2.46
		EP	Euro Pallet	960	120	80	136.5	64.2
			Layers per Pallet	5				
			Cartons per Layer	4				
			Products per layer	192				

What's in the box?

- RF 15-30mm F4.5-6.3 IS STM
- LENS CAP E-67II
- LENS DUST CAP RF
- User's Manual Kit

Live for the story_