




RF 10-20mm F4L IS STM

SEE MORE, DO MORE

Give your creativity a lift with an ultrawide zoom that injects drama into your photography and filmmaking. Include more in every shot – ideal for landscape, architecture and interiors.



- Exaggerated perspective
- Ultrawide, ultraportable
- Every detail, perfectly reproduced
- Stabilisation that just works
- Built for the professionals

PRODUCT RANGE



RF 10-20mm F4L IS STM



RF 15-35mm F2.8L USM



RF 14-35mm F4L IS USM

RF 10-20mm F4L IS STM

RF 15-35mm F2.8L USM

RF 14-35mm F4L IS USM

RF 15-30mm F4.5-6.3 IS

STM

Canon

Live for the story_

TECHNICAL SPECIFICATIONS

RF 10-20mm F4L IS STM

OPTICAL FEATURES/ SPECIFICATIONS

Image Size	Full Frame
35mm film equivalent focal length (mm)	
Angle of View (Horzntl, Vertl, Diagnl)	121°55' - 84° 100°25' - 62° 130°25' - 94°
Lens Construction (Elements/Groups)	16/12
Special Optics	1x SUD 3x UD 3x Gmo Apherical (1 element both UD / Aspherical)
No. of diaphragm blades	9
Minimum Aperture	22
Closest Focusing Distance (m)	0.25
Maximum Magnification (x)	0.12 (at 20mm) 0.06 (at 10mm)
Control Ring	Yes
Image stabilizer OIS¹	5 stops
Image stabilizer IBIS x OIS¹	6 stops
AF actuator	STM
Coatings	ASC, Super Spectra, SWC
Fluorine	Front
PHYSICAL SPECIFICATIONS	
Dust/moisture resistance²	Yes
Filter diameter (mm)	Rear-mounted gelatine filter (35x20mm)
Max. diameter x length (mm)	83.7 x 112
Weight (g)	570g
ACCESSORIES	
Lens cap	Lens Cap 10-20
Lens hood	Built in
Lens case/pouch	LP1219
Rear cap	Lens Dust Cap RF
Extender Compatibility	Not Compatible

FOOTNOTES

¹ Tested under CIPA standards

² Lenses with dust/moisture resistance are fitted with a rubber ring on the lens mount which may cause slight abrasion of the camera mount. This in no way effects either the lens or camera performance.



Canon Ireland
3006 Lake Drive
Citywest, Saggart
Co. Dublin, Ireland
Telephone No: 01 2052400
Facsimile No: 01 2052525
canon.ie

Canon (UK) Ltd
The Bower
4 Roundwood Avenue
Stockley Park
Uxbridge
UB11 1AF

Canon Inc.
canon.com
Canon Europe
canon-europe.com
English edition
Canon Europa NV 2023


Live for the story_

SEE MORE, DO MORE

RF 10-20mm F4L IS STM

Give your creativity a lift with an ultrawide zoom that injects drama into your photography and filmmaking. Include more in every shot – ideal for landscape, architecture and interiors.

Sales Start Date: November 2023



PRODUCT DETAILS:

Product Name	Mercury Code	EAN Code	Recommended Retail Price
LENS RF 10-20mm F4L IS STM	6182C005AA	4549292220582	<Please fill in RRP>
Lens Cap 10-20	6181C001AA	4549292220599	<Please fill in RRP>

COMPATIBLE ACCESSORIES:

Product Name	Mercury Code	EAN Code	Recommended Retail Price
Lens Cap 10-20	6181C001AA	4549292220599	<Please fill in RRP>
Lens dust cap RF	2962C001AA	4549292115604	<Please fill in RRP>
LP1219	2791A001AA	4960999470832	<Please fill in RRP>


Canon

Live for the story_

SEE MORE, DO MORE

RF 10-20mm F4L IS STM

Give your creativity a lift with an ultrawide zoom that injects drama into your photography and filmmaking. Include more in every shot – ideal for landscape, architecture and interiors.



MEASUREMENT / LOGISTIC INFORMATION:

Product Name	Mercury Code	Pack type	Pack description	Quantity per pack	Length (cm)	Width (cm)	Height (cm)	Gross Weight (kg)
LENS RF 10-20mm F4L IS STM EMEA	6182C005AA	EA	Each	1	13.7	13.7	23.9	0.8636
		CT	Carton	6	42.95	29.3	28.3	5.96
		EP	Euro Pallet	96	120	80	128.20	158.04
			Layers per Pallet	4				
			Cartons per Layer	4				
			Products per Layer	96				
Lens Cap 10-20	6181C001AA	EA	Each	1	2.5	1.5	0.01	0.035
		CT	Carton	30	46.8	31.6	21.3	1.72
		EP	Euro Pallet	600	120	80	121.50	34.40
			Layers per Pallet	4				
			Cartons per Layer	5				
			Products per Layer	600				

What's in the box?

RF 10-20mm F4L IS STM

- RF 10-20mm F4L IS STM
- LENS DUST CAP RF
- Lens Cap 10-20
- LENS CASE LP1219
- User Manual (EUR)
- Box (W/W)

Lens Cap 10-20

- Lens Cap 10-20
- Package (W/W)

Live for the story_