

RF 200-800mm F6.3-9 IS USM

# THE NEXT LEVEL SUPER TELEPHOTO ZOOM

Capture distant subjects with optical power you never thought possible. The RF 200-800mm F6.3-9 IS USM blends Canon's renowned optical prowess into a practical lens and works in harmony with your EOS R series camera, delivering a flexible 200-800mm zoom range for sports, nature and wildlife moments previously out of reach.

- A greater reach with flexibility and freedom
- 2050 g, 314 mm length
- 5.5-stops Optical
- For smooth, fast and quiet autofocus
- For easy control over camera settings or manual focus
- For high image quality and reduced chromatic aberration

## PRODUCT RANGE



RF 100-400mm  
F5.6-8 IS USM

RF 100-400mm F5.6-8  
IS USM

RF 100-500mm F4.5-7.1 L  
IS USM



RF 100-500mm  
F4.5-7.1 L IS USM

**RF 200-800mm F6.3-9  
IS USM**

RF 600mm F11 IS STM

RF 800mm F11 IS STM

**RF 200-800mm  
F6.3-9 IS USM**

**Canon**

---

Live for the story\_

# TECHNICAL SPECIFICATIONS

## RF 200-800mm F6.3-9 IS USM

### OPTICAL FEATURES/ SPECIFICATIONS

<b>Image Size</b>	Full Frame
<b>Angle of view (horzntl, vertl, diagonl)</b>	10° - 2° 35', 7° - 1° 40', 12° - 3° 05'
<b>Lens construction (elements/groups)</b>	17 / 11
<b>Special Optics</b>	3 x UD
<b>No. of diaphragm blades</b>	9
<b>Minimum Aperture</b>	32 - 54
<b>Closest Focussing Distance (m)</b>	0.8m (at 200mm) 1.8m (at 400mm) 2.8m (at 600mm) 3.3m (at 800mm)
<b>Maximum Magnification (x)</b>	0.25x (at 200mm) 0.2x (at 800mm)
<b>Control Ring</b>	Yes
<b>Image stabilizer OIS<sup>1</sup></b>	5.5
<b>Image stabilizer IBIS x OIS<sup>1</sup></b>	5.5
<b>AF actuator</b>	Nano USM
<b>Coatings</b>	Super Spectra
<b>Fluorine</b>	No
<b>PHYSICAL SPECIFICATIONS</b>	
<b>Dust/moisture resistance<sup>3</sup></b>	Yes
<b>Exterior coating</b>	White paint
<b>Filter diameter (mm)</b>	95
<b>Max. diameter x length (mm)<sup>2</sup></b>	102.3 x 314.1
<b>Weight (g)</b>	250

### ACCESSORIES

<b>Lens cap</b>	E-95
<b>Lens hood</b>	ET-101
<b>Lens case/pouch</b>	LZ1438
<b>Rear cap</b>	Lens Dust Cap RF
<b>Extender Compatibility</b>	Compatible with RF Extender only
<b>Other Accessories</b>	Lens Strap 40

### SPECIFICATIONS 1.4X EXTENDER

<b>Focal Length</b>	280 - 1120mm
<b>Maximum Aperture</b>	9 - 13
<b>Maximum Magnification</b>	0.37
<b>AF possible</b>	Yes
<b>IS</b>	Yes

### SPECIFICATIONS 2X EXTENDER

<b>Focal Length</b>	400 - 1600mm
<b>Maximum Aperture</b>	13 - 18
<b>Maximum Magnification</b>	0.54
<b>AF possible</b>	Yes
<b>IS</b>	Yes

### FOOTNOTES

- <sup>1</sup> Tested under CIPA standards
- <sup>2</sup> Lens dimensions when in retracted state
- <sup>3</sup> Lenses with dust/moisture resistance are fitted with a rubber ring on the lens mount which may cause slight abrasion of the camera mount. This in no way affects either the lens or camera performance.

Canon Inc.  
canon.com  
Canon Europe  
canon-europe.com  
English edition  
Canon Europa NV 2023

Live for the story\_

# THE NEXT LEVEL SUPER TELEPHOTO ZOOM

## RF 200-800mm F6.3-9 IS USM

Capture distant subjects with optical power you never thought possible. The RF 200-800mm F6.3-9 IS USM blends Canon's renowned optical prowess into a practical lens and works in harmony with your EOS R series camera, delivering a flexible 200-800mm zoom range for sports, nature and wildlife moments previously out of reach.

Sales Start Date: December 2023 (TBC)

### PRODUCT DETAILS:

Product Name	Mercury Code	EAN Code
RF 200-800mm F6.3-9 IS USM	6263C005AA	4549292222050
LENS CASE FOR RF 200-800mm F6.3-9 IS USM	6572C001AA	4549292229639

### COMPATIBLE ACCESSORIES:

Product Name	Mercury Code	EAN Code
Lens Hood ET-101		
Lens case RF 200-800mm F6.3-9 IS USM		
Lens Dust cap RF		
Lens Cap E-95		



---

Live for the story\_

# THE NEXT LEVEL SUPER TELEPHOTO ZOOM

## RF 200-800mm F6.3-9 IS USM

Capture distant subjects with optical power you never thought possible. The RF 200-800mm F6.3-9 IS USM blends Canon's renowned optical prowess into a practical lens and works in harmony with your EOS R series camera, delivering a flexible 200-800mm zoom range for sports, nature and wildlife moments previously out of reach.

### MEASUREMENT / LOGISTIC INFORMATION:

Product Name	Mercury Code	Pack type	Pack description	Quantity per pack	Length (cm)	Width (cm)	Height (cm)	Gross Weight (kg)
RF 200-800mm F6.3-9 IS USM	6263C005AA	EA	Each	1	21.1	21.1	40.6	3.111
		CT	Carton	4	44.2	44.2	49.8	14.41
		EP	Euro Pallet	16	120	80	114.6	72.64
			Layers per Pallet	2				
			Cartons per Layer	2				
			Products per Layer	8				
LENS CASE FOR RF 200-800mm F6.3-9 IS USM	6572C001AA	EA	Each	1	17.05	17	38.1	0.747
		CT	Carton	4	52.8	42.8	45.5	4.5
		EP	Euro Pallet	24	120	80	151.5	42
			Layers per Pallet	3				
			Cartons per Layer	2				
			Products per Layer	8				

### What's in the box?

#### RF 200-800mm F6.3-9 IS USM

- RF 200-800mm F6.3-9 IS USM
- Lens Dust Cap RF
- Lens Cap E-95
- Lens Hood ET-101
- Lens Strap 40
- User Manual (EUR)
- Box (W/W)
- Package (W/W)



Live for the story\_