PIXMA TR7650 THE COMPACT, VERSATILE AND WELL-CONNECTED 4-IN-1



Home office users who want a compact, versatile, well-connected and easy-to-use printer able to handle both photo and documents.





Wi-Fi



Borderless Photo Printing





5 Individual inks



7.5cm touch screen



Cloud Printing & Scanning



Front & rear paper feeding









Smart connectivity

Enjoy effortless Wi-Fi connectivity and print and scan straight from your smart devices (iOS or Android) with the Canon PRINT app. Also compatible with Apple AirPrint and Mopria for Android



Freedom of the cloud

Enjoy fast, fuss-free remote working with cloud printing and scanning direct from the printer or via the Canon PRINT app using Cloud Link – no PC required. Compatible with Dropbox, Evernote, Google Drive and more



Quality prints. Major savings

Quickly print vibrant, detailed borderless colour photos up to A4 and pin-sharp documents with the 5 single ink cartridge system. Make savings with optional XL and XXL ink cartridges and automatic 2-sided printing



Productive and versatile

Easily copy, scan and fax multi-page documents with the 20-sheet ADF, handle various media types and front and rear paper feeding



Compact and convenient

Compact 4 in 1 with a space-saving design and simple control via the tilting operation panel with large 3.0" colour touchscreen and easy QR Code setup

PRODUCT RANGE



PIXMA TR4750i Series







PIXMA TS7750i



TECHNICAL SPECIFICATIONS

PIXMA TR7650

GENERAL SPECIFICATIONS Functions

PRINTER SPECIFICATIONS Print Resolution Print Technology

Mono Print Speed Colour Print Speed Photo Print Speed Borderless Printing

Two Sided Printing

CONSUMABLES AND INK YIELDS Standard Ink Cartridges

Optional XL/XXL Ink Cartridges

Cartridge Yield (Plain paper)

Cartridge Yield (Photo print)

PAPER SUPPORT Paper Types

Wi-Fi, Print, Copy, Scan, Fax, Cloud, ADF

Up to 4800 [1] x 1200 dpi 5 Individual Inks (PGBK, BK, C, M, Y) Inkjet FINE print head ChromaLife100 inks Approx, 15.0 ipm [2] Approx. 10.0 ipm [2] Borderless 10x15cm : Approx. 37 seconds [2] A4, B5, LTR, 4" x 6", 5" x 7", 8" x 10", Card Size (91mm x 55mm), Square (89mm x 89mm). Square (127mm x 127mm) Auto Duplex Print (A4, A5, B5, LTR - Plain Paper)

PGI-580PGBK (Pigment Black) CLI-581BK (Black) CLI-581C (Cvan) CLI-581M (Magenta) CLI-581Y (Yellow) PGI-580PGBK XL (Pigment Black) CLI-581BK XL (Black) CLI-581C XL (Cyan) CLI-581M XL (Magenta) CLI-581Y XL (Yellow)

PGI-580PGBK XXL (Pigment Black) CLI-581BK XXL (Black) CLI-581C XXL (Cvan) CLI-581M XXL (Magenta) CLI-581Y XXL (Yellow) A4 Colour Documents^[3]

Pigment Black: 200 pages Pigment Black XL: 400 pages Pigment Black XL: 600 pages Pigment Black XXL: 600 pages Pigment Black XAL: 000 Black: 1505* pages Black XL: 3120* pages Black XXL: 6360* pages Cyan: 256 pages Cyan XL: 515 pages Cvan XXL: 820 pages Magenta: 237 pages Magenta XL: 474 pages Magenta XXL: 760 pages Yellow: 257 pages Yellow XL: 514 pages Yellow XXL: 824 pages * Estimated supplemental yield 10x15cm photo^[3]

Pigment Black: 1448* photos Pigment Black XL: 3373* photos Pigment Black XXL: 5500* photos Black: 231* photos Black XL: 520* photos Black XXL: 858* photos Cyan: 83 photos Cvan XL: 170 photos Cyan XXL: 282 photos Magenta: 108 photos Magenta XL: 225 photos Magenta XXL: 367 photos Yellow: 99 photos Yellow XL: 199 photos Yellow XXL: 322 photos * Estimated supplemental yield

Plain Paper (64 g/m² - 105 g/m²) High Resolution Paper (HR-101N) Photo Paper Pro Platinum (PT-101) Photo Paper Plus Glossy II (PP-201) Photo Paper Pro Luster (LU-101) Photo Paper Plus Semi-gloss (SG-201) Glossy Photo Paper "Everyday Use" (GP-501) Matte Photo Paper (MP-101) T-Shir Transfer T-Shirt Transfer Envelope Magnetic Photo Paper (MG-101) Restickable Photo Paper (RP-101) Greeting Card (manufactured by Avery and RedRiverPaper)

Maximum Paper Input

Automatic Document Feeder Paper Sizes

Paper Weight

SCANNER SPECIFICATIONS Scanner Type Scanner Resolution (Optical) Scanning Depth (Input / Output) Maximum Document Size

COPIER SPECIFICATIONS Copy Speed

Multiple Copy Copy Functions

Copy Zoom

FAX SPECIFICATIONS Fax Type Fax Resolution

Transmission Speed

Modem Speed Print Size Fax Memory Automatic Dialing

INTERFACE Display Type & Size **Display Languages**

Cardstock (manufactured by Neenah Paper and INKPRESS) Canon Red Label Superior (WOP111) (for Europe) Canon Oce Office Colour Paper (SAT213) (for Europe) Dark Fabric Iron on Transfers (DF-101)

Light Fabric Iron on Transfers (LF-101) Premium Fine Art Rough (FA-RG1) Rear Trav: Max. 20 sheets (photo paper) or Max. 100 sheets (plain paper) Front Cassette: Max. 100 sheets (plain paper)

ADF: A4, LTR = 20, LGL = 5

Up to 20 Sheets (1-sided)

Rear Tray: A4, A5, B5, LTR, LGL, #10 Envelope. DL Envelope, Card Size (91mm x 55mm), 4" x 6", 5" x 7", 7" x 10", 8" x 10", Square (89mm x 89mm, 127mm x 127mm). Custom Size (width: 55mm - 215.9mm, length: 89mm - 676mm)

Front Cassette: A4, A5, B5, LTR, Custom Size (width: 148mm - 215.9mm, length: 210mm - 297mm) Plain Paper: 64 g/m² - 105 g/m², or supported genuine Canon papers

Canon paper: max paper weight : approx. 300 g/m² (Photo Paper Pro Platinum PT-101)

Flatbed, ADF and CIS colour scanner 1200 x 2400 dpi ^{[4}

Colour: RGB each 16bit/8bit Grevscale: 16 bit / 8 bit Flatbed: A4, LTR (216x297mm) ADF: A4, LTR, LGL

sFCOT (colour): Approx. 17.0sec^[5] sESAT (colour): Approx. 7.8 ipm^[5] ESAT/Simplex ADF (colour): Approx. 5.6 ipm^[5] ESAT/Simplex ADF (black): Approx. 14.2 ipm^[5] 99 copies max. Document Copying, Photo Copying, Borderless copy, 2-sided copy, 2-on-1 and 4-on-1 copy, Frame erase copy (Flatbed only), ID copy, Oversized copy, Tiling copy, Manual two-sided copy with ADF, Collated copy (ADF only) 25 - 400% Fit to page

Desktop Transceiver (Super G3/Color Communication) Mono: 8pels/mm x 3.85 lines/mm(Standard) 8pels/mm x 7.7 lines/mm(Fine) 300 dpi x 300 dpi (Extra Fine)

Colour: 200 x 200 dpi Mono: approx. 3 sec. [17] Colour: approx. 1 min. [17] maximum 33.6 kbps (Automatic fall back) A4, LTR, LGL Approx. 250 pages [18] Coded Speed Dialing: Max. 100 locations Group Dialing: Max. 99 locations

3.0 inch/7.5cm LCD(Touch Screen, Color) 33 Languages Selectable: Japanese/English (mm & inch)/German/French/Italian/Spanish/Dutch/ Portuguese/Norwegian/Swedish/Danish/Finnish/ Russian/Czech/Hungarian/Polish/Slovene/Turkish/ Greek/Simplified Chinese/Traditional Chinese/Korean/ Indonesian/Slovakian/Estonian/Latvian/Lithuanian/ Ukrainian/Romanian/Bulgarian/Thai/Croatian/ Vietnamese



TECHNICAL SPECIFICATIONS

PIXMA TR7650

CONNECTIVITY	
Standard Interface	Hi-Speed USB (B Port) Wi-Fi: IEEE802.11 b/g/n ^[8] Wi-Fi Security: WEP (64 bit / 128 bit), WPA-PSK (TKIP / AES), WPA2-PSK (TKIP / AES) Wireless LAN Frequency Band: 2.4GHz
Mobile Apps	Canon PRINT app ^[9] Easy-PhotoPrint Editor app ^[10] Creative Park app ^[11]
Printer Features	Easy-PhotoPrint Editor Software ^[10] PIXMA Cloud Link ^[10] Canon Print Service Plugin (Android) ^[12] Apple AirPrint ^[13] Wireless Direct ^[14] Mopria (Android) ^[15] PosterArtist Web
SOFTWARE	
Supported Operating Systems	Windows 11, Windows 10, Windows 8.1, Windows 7 SP1
	Operation can only be guaranteed on a PC with pre-installed Windows 7 or later.
	Mac OS® X v10.12.6 – macOS v14 (Sonoma)
Supported Mobile Systems	iOS, iPadOS, Android, Chrome OS [16]
Operational Requirements	Display: 1024 x 768 XGA
PHYSICAL FEATURES	
Weight	approx.7.9 kg
Dimensions (W x D x H)	With the trays retracted approx. 438 x 350 x 190mm With the trays extended: Approx. 438 x 652 x 300mm
Acoustic Noise Levels	approx. 46.5(A) [6]
Recommended Operating Environment	Temperature: 15-30°C Humidity: 10-80%RH (no dew condensation)
Power Source	AC 100-240V, 50/60Hz
Power Consumption	Off: Approx. 0.3W Standby (connected to PC via USB): Approx. 1.0W (scanning lamp off) Standby (all ports connected): Approx. 1.8W (scanning lamp is off) Time to enter Standby mode: 10min 2sec

Typical Electricity Consumption

Copying: Approx. 13W [7] 0.2 kWh^[17]



TECHNICAL SPECIFICATIONS

Footnotes:

- ^[1] Ink droplets can be placed with a pitch of 1/4800 inch at minimum.
- Document print speeds are the averages of ESAT in Office Category Test for the default simplex mode, ISO/IEC 24734. Photo print speed is based on the default setting using ISO/JIS-SCID N2 on Photo Paper Plus
- Gloss II and does not take into account data processing time on host computer. ^[3] Declared yield value in accordance with ISO/IEC 24711 standard. Values obtained by
- Contractor year value in accordance with ISO/IEC 24711 standard, values obtained by continuous printing.
 [4] Optical resolution is a measure of maximum hardware sampling resolution, based on ISO
- (4) Optical resolution is a measure of maximum hardware sampling resolution, based on ISO 14473 standard.
 (8) Copy speeds are the average of sFCOT and sESAT, ISO/IEC 29183.
- Copy speeds are the average of sFCO1 and sESA1, ISO/IEC 29183. Copy speed may vary depending on document complexity, copy mode, page coverage, type of paper used ate, and does not take into account worming up time.
- of paper used etc. and does not take into account warming up time. Acoustic Noise is measured based on ISO7779 standard(colour printing) with default setting. When copying ISO/JIS-SCID N2 (printed by inkjet printer) on A4 size plain paper using
- default settings.
 Wireless printing requires a working network with wireless 802.11b/g/n/a or ac capability,
- operating at 2.4GHz. Wireless performance may vary based on terrain and distance between the printer and wireless network clients. Requires an Internet connection and the Canon PRINT Inkjet/SELPHY app, available for free
- (a) Requires an interiner contraction and use can one variable with IPad, IPhone 3GS or later, and IPod touch 3rd generation or later devices running iOS 7.0 or later, and Android 2.3.3 or later. Your device must be connected to the same working network with wireless 802.11 b/g/n/a capability as your printer. Requires a compatible social media account and is subject to that social media accounts Terms of Service. Certain exceptions may apply.
- [10] The Easy-PhotoPrint Editor software requires an Internet connection and is compatible with the following operating systems; Microsoft Windows 10 (64-bit/32-bit), Microsoft Windows 8.1 (64-bit/32-bit), Microsoft Windows 7 SP1 (64-bit/32-bit), macOS High Sierra v10.13, macOS Sierra v10.12, Mac OS X El Capitan v10.11 and Mac OS X El Capitan v10.105. Minimum Windows and macOS/Mac OS X requirements are: 2GB of RAM and a monitor with 1024x768 resolution. The Easy-PhotoPrint Editor mobile application requires an Internet connection and the Easy-PhotoPrint Editor app v1.1.0, available for free on the App Store and at Google Play. Compatible with iPad Air2 (2nd Generation), iPad Mini 4 and iPhone 6s or later devices running iOS 10 or later, and Android mobile devices running Android 5.x or later. Certain exceptions may apply. The following file formats are supported: JPEG, PNG, HEIF (devices running iOS 11 and mac OS v10.13 or later), DLP save data, Poster Artist export data, EasyPhoto+ export data, Easy-PhotoPrint Editor export data.
 (1)Requires an Internet connection and the Creative Park app, available for free on the App
- I¹¹¹Requires an Internet connection and the Creative Park app, available for free on the App Store and at Google Play. Compatible with iOS 12.0 or later/Android OS 5.0 or later operating systems. You must have a Canon ID and a Canon inkjet printer to use this app.
- ^[12]Canon Print Service is a print plug-in for Android smart devices, which enables printing from Android v4.4 - v5.0 devices to many Canon printers via a Wi-Fi network. The plug-in does not work as a standalone app. Available for free at Google Play.

PIXMA TR7650

- (13) AirPrint functionality requires a compatible iPad, iPhone, or iPod Touch device running iOS 7.0 or later, and an AirPrint-enabled printer connected to the same network as your iOS device. A printer connected to the USB port of your Mac, PC, AirPort Base station, or Time Capsule is not supported.
- ¹¹⁴Requires a smart device with the Canon PRINT Inkjet/SELPHY app installed and connected to the desired active wireless network to complete cableless setup.
- 115 Requires Android mobile device with Android 4.4 operating system or later with the Mopria Print Service pre-loaded with that device and the compatible PIXMA printer on the same wireless network. The Mopria experience is also available on Android 4.4 mobile devices with a download of the Mopria Print Service from Google Play.
- ^[16]Some functions may not be available with these Operating Systems. Please refer to the manual or website for details.
- ¹¹⁷ Typical Electricity Consumption (TEC) value: TEC value was calculated assuming the unit will be constantly switched among operational mode, sleep mode, and power-off mode for 5 days, and that it will be either in sleep or power-off mode for the remaining 2 days within the same week. The TEC value of this product is calculated by Canon on their own accord using TEC measurement procedure regulated in International ENERGY STAR Program. ^[18] Page count is based on ITU-T No.1 chart or Canon FAX Standard Chart No.1.

Standard disclaimers

- All specifications subject to change without notice.
- Print speed may vary depending on system configuration, interface, software, document complexity, print mode, page coverage, type of paper used etc.
- Ink yield may vary depending on texts/photos printed, applications software used, print mode and type of paper used. For yield information see <u>www.canon-europe.com/ink/yield</u>
 Scan speed may vary depending on system configuration, interface, software, scan mode
- settings and document size etc. • All brand and product names are trademarks of their respective companies.
- Microsoft, Windows and the Windows logo are trademarks, or registered trademarks of Microsoft Corporation in the United States and/or other countries.



Canon Ireland 3006 Lake Drive Citywest, Saggart Co. Dublin, Ireland Telephone No: 01 2052400 Facsimile No: 01 2052525 canon.ie Canon (UK) Ltd The Bower 4 Roundwood Avenue Stockley Park Uxbridge UB11 1AF Canon Inc. canon.com Canon Europe canon-europe.com English edition Canon Europa NV 2024

THE COMPACT, VERSATILE AND WELL-CONNECTED 4-IN-1

Home office users who want a compact, versatile, well-connected and easy-to-use printer able to handle both photo and documents.

Sales Start Date: April 2024



Product details

Product Name	ct Name Mercury Code		Recommended Retail Price	
PIXMA TR7650 GB	4452C028AA	4549292233414	<please fill="" in="" rrp=""></please>	

Consumables

CONSUMABLES:					
Product Name	Mercury Code	EAN Code	Recommended Retail Price		
Standard size					
PGI-580 PGBK	2078C001AA	4549292087062	<please fill="" in="" rrp=""></please>		
CLI-581 BK	2106C001AA	4549292087079	<please fill="" in="" rrp=""></please>		
CLI-581 C	2103C001AA	4549292087086	<please fill="" in="" rrp=""></please>		
CLI-581 M	2104C001AA	4549292087093	<please fill="" in="" rrp=""></please>		
CLI-581 Y	2105C001AA	4549292087116	<please fill="" in="" rrp=""></please>		
XL size					
PGI-580XL PGBK	2024C001AA	4549292086980	<please fill="" in="" rrp=""></please>		
CLI-581XL BK	2052C001AA	4549292086997	<please fill="" in="" rrp=""></please>		
CLI-581XLC	2049C001AA	4549292087017	<please fill="" in="" rrp=""></please>		
CLI-581XL M	2050C001AA	4549292087024	<please fill="" in="" rrp=""></please>		
CLI-581XL Y	2051C001AA	4549292087031	<please fill="" in="" rrp=""></please>		
XXL size					
PGI-580XXL PGBK	1970C001AA	4549292086836	<please fill="" in="" rrp=""></please>		
CLI-581XXL BK	1998C001AA	4549292086874	<please fill="" in="" rrp=""></please>		
CLI-581XXL C	1995C001AA	4549292086898	<please fill="" in="" rrp=""></please>		
CLI-581XXL M	1996C001AA	4549292086928	<please fill="" in="" rrp=""></please>		
CLI-581XXL Y	1997C001AA	4549292086959	<please fill="" in="" rrp=""></please>		



THE COMPACT, VERSATILE AND **PIXMATR7650** WELL-CONNECTED 4-IN-1

Home office users who want a compact, versatile, well-connected and easy-to-use printer able to handle both photo and documents.



Measurement / logistic information

Product Name	Mercury Code	Pack type	Pack description	Quantity per pack	Width (cm)	Length (cm)	Height (cm)	Gross Weight (kg)
PIXMA TR7650 GB	4452C028AA	EA	Individual	1	1	446	213	485
			Pallet (Upper)	20	20	897	1070	974.5
			Pallet (Bottom)	30	30	897	1070	1459.5



THE COMPACT, VERSATILE AND WELL-CONNECTED 4-IN-1

Home office users who want a compact, versatile, well-connected and easy-to-use printer able to

handle both photo and documents.



What's in the box

PIXMA TR7650

- Setup Ink Cartridges
- Power cord
- Manuals



