



Multiport Hubs

Essentials Range



Expand your connectivity.

The Essentials Multiport Hubs range offers versatile connectivity solutions for professionals and creatives. Each multiport hub provides a combination of HDMI, USB-A, and USB-C connections for seamless device integration.

You can expand functionality with SD/microSD readers or an RJ45 Ethernet port for stable wired internet up to 1Gbps.

Each hub supports ultra-high-definition 4K video at 30Hz via HDMI, delivering crisp visuals for presentations, streaming, or multi-monitor setups.

With USB 3.2 Gen 1 technology offering speeds up to 5Gb/s, transferring large files is quick and efficient. Designed for multitasking and enhanced workflows, the Essentials Multiport Hubs provide the ultimate connectivity experience for any workspace.



Fast Data
Transfer



4K HDMI
Resolution



USB-C®
Plug & Play



Compact &
Mobile



General Information	32155	32156	32157	32158
				
Product dimensions LxWxH	96.7 x 29.7 x 11 mm	112.2 x 29.7 x 11 mm	105 x 47 x 16.4 mm	123.2 x 29.7 x 11 mm
Product weight	51 g	56 g	80 g	60 g
Case material	Aluminium + ABS			
Colour	Silver			
Number of ports	4	6	6	7
USB-A 2.0 up to 480 Mbps	1	1	-	-
USB-A 3.2 Gen 1 up to 5 Gbps	1	1	3	2
USB-C with Power Delivery up to 100 W	1	1	1	1
USB-C 3.2 Gen 1 up to 5 Gbps	-	-	-	1
HDMI up to 4K/30Hz	1	1	1	1
microSD 2.0 up to 30MB/s writing and 40MB/s reading	-	1	-	1
SD 2.0 up to 30MB/s writing and 40MB/s reading	-	1	-	1
RJ45 up to 1000 Mbps	-	-	1	-
Cable length	15 cm			

Directives and Certificates

Certificates	CE-EMC, CE-LVD, FCC, UKCA
Electroagnetic compatibility	2014/30/EC
Low voltage protection	2014/35/EC
RoHS directive	2011/65/EC
Annex II	2015/863/EC
Test Standards	2014/30EU EN55032:2012 + A11:20205 EN55032:2017 + A11:2020 2014/35/EU EN IEC 62368-1:2020 + A11:2020

Storage and Operating Conditions

Storage temperature	-20°C to +70°C
Operating temperature	0° to +40° C
Operating humidity	10%-85% RH

PN	Description	Tariff Code	Bar Code	EAN128 Code	EAN14 Code
32155	USB-C Essentials Multiport Hub 4 Port	84718000	023942321552	(02)00023942321552(37)10(91)891 (02)00023942321552(37)40(91)891	20023942321556 50023942321557
32156	USB-C Essentials Multiport Hub 6 Port with card reader	84718000	023942321569	(02)00023942321569(37)10(91)891 (02)00023942321569(37)40(91)891	20023942321563 50023942321564
32157	USB-C Essentials Multiport Hub 6 Port with RJ45	84718000	023942321576	(02)00023942321576(37)10(91)891 (02)00023942321576(37)40(91)891	20023942321570 50023942321571
32158	USB-C Essentials Multiport Hub 7 Port	84718000	023942321583	(02)00023942321583(37)10(91)891 (02)00023942321583(37)40(91)891	20023942321587 50023942321588

Logistic Information	32155	32156	32157	32158
Product Dimensions L x W x H	96.7 x 29.7 x 11 mm	112.2 x 29.7 x 11 mm	105 x 47 x 16.4 mm	123.2 x 29.7 x 11 mm
Product Weight	51 g	56 g	80 g	60 g
Units per Pack	1	1	1	1
Pack Dimensions	155 x 85 x 20 mm	155 x 85 x 20 mm	155 x 85 x 22 mm	155 x 85 x 20 mm
Pack Weight	100 g	105g	130 g	110 mm
Packs per Inner Carton (MOQ)	10	10	10	10
Inner Carton Dimensions L x W x H	325 x 116 x 103 mm	325 x 116 x 103 mm	325 x 126 x 103 mm	325 x 116 x 103 mm
Inner Carton Weight	1200 g	1250 g	1520 g	1300 g
Packs per Master Carton	40	40	40	40
Master Carton Dimensions L x W x H	345 x 256 x 236 mm	345 x 256 x 236 mm	345 x 276 x 236 mm	345 x 256 x 236 mm
Master Carton Weight	5300 g	5500 g	6580 g	5700 g
Master Cartons per Layer	11	11	11	11
Layers per Pallet	4	4	4	4
Units per Pallet	1760	1760	1760	1760

Pack Contents

- Verbatim Multiport Hub
- Quick Start Guide



System Requirements

USB-C port

Windows OS 7/8/10/11 (X86/X64), Mac OS 10.2 or above, Chrome OS, Linux, Android 7 or above

Warranty

2 year limited warranty

For more information, please contact your key account manager

Publication date: 18-03-2025
© 2025 Verbatim. All rights reserved.
All brand names are registered trademarks of their respective owners.
Unauthorized use strictly prohibited.
Specifications are subject to change without prior notice.

