


# FAST AND HIGHLY EFFICIENT, YET COMPACT A4 BLACK AND WHITE PRINTER DELIVERING EXCELLENT PRINT QUALITY OUTPUT

Designed with advantages in print speed, small footprint and high paper capacity, to easily fit and excel in a variety of business environments.

## i-SENSYS LBP335dw



### HIGH PRODUCTIVITY

Fast print speeds, support for wide range of media and flexible configuration with up to 2,300 sheets of paper capacity to elevate your business productivity.

### SEAMLESS CONNECTIVITY

Fast and secure connectivity, including direct Wi-Fi and Universal Print by Microsoft allowing for maximum print on the go flexibility.

### ROBUST SECURITY

Ensuring device, document and network security with Multifactor authentication, device firmware protection and encryption of print jobs to safeguard your business.

### PROMOTING SUSTAINABILITY

Reduce your carbon footprint and save your energy costs thanks to low energy consumption. Boost your sustainability efforts further with devices built with 10% of recyclable materials.

# TECHNICAL SPECIFICATIONS

# i-SENSYS LBP335dw

PRINTER ENGINE	
<b>Print speed</b>	Single sided : Up to 43 ppm (A4) Up to 65.2 ppm (A5-Landscape) Double sided : Up to 36 ipm (A4)
<b>Printing method</b>	Monochrome laser beam printing
<b>Print quality</b>	Up to 1200 x 1200 dpi
<b>Warm-up time</b>	2 Seconds or Less* * Time from device power-on to when key operations can be performed on the touch panel display. From Sleep Mode: 20 Seconds or less
<b>First Page Out Time</b>	Approx: 6.2 seconds or less
<b>Recommended Monthly Print Volume</b>	2,000 - 7,500 pages per month
<b>Duty cycle</b>	150,000 pages <sup>1</sup>
<b>Print margins</b>	5 mm-top, bottom, left and right 10 mm-top, bottom, left and right (Envelope)
<b>Advanced printing features</b>	Encrypted Secure Print Secure Print Print from USB memory key (JPEG/TIFF/PDF/XPS) Barcode Print <sup>2</sup> iOS: AirPrint, Canon PRINT app Android; Mopria certified, Canon Print Service Plug-in, Canon PRINT app Microsoft Universal Print, IPP everywhere
MEDIA HANDLING	
<b>Paper input (Standard)</b>	550-sheet cassette 100-sheet multi-purpose tray
<b>Paper input (Option)</b>	550-sheet cassette x 3
<b>Maximum paper input capacity</b>	Up to 2,300 sheets
<b>Paper output</b>	150-sheet
<b>Media types</b>	Plain paper, Recycled paper, Heavy Paper, Thin paper, Color paper, Label, Letterhead, Post card, Envelope
<b>Media sizes</b>	Cassette (Standard and optional): A4, A5, A5 (Landscape), A6, B5, Legal, Letter, Executive, Statement, OFFICIO, B-OFFICIO, M-OFFICIO, GLTR, GLGL, Foolscap, 16K, Custom sizes: Min. 105 x 148 mm Max. 216.0 x 355.6 mm.  Multi-purpose tray: A4, A5, A5 (Landscape), A6, B5, Legal, Letter, Executive, Statement, OFFICIO, B-OFFICIO, M-OFFICIO, GLTR, GLGL, Foolscap, 16K, Indexcard, Envelope (COM10, Monarch, C5, DL), Custom sizes: Min 76.2 x 127 mm Max. 216.0 x 355.6 mm

<b>Media weights</b>	Cassette (standard and optional): 60 to 120 g/m <sup>2</sup> Multi-purpose tray: 60 to 199 g/m <sup>2</sup>
<b>Double sided printing</b>	A4, Legal, Letter, OFFICIO, B-OFFICIO, M-OFFICIO, GLGL, Foolscap Custom size - Min. 210 x 279.4 mm Max. 216.0 x 355.6 mm 60 to 120 g/m <sup>2</sup>
GENERAL FEATURES	
<b>Power requirements</b>	220-240V(±10%) 50/60Hz (±2Hz)
<b>Power consumption</b>	Maximum: Approx. 1,400 W Active printing: Approx. 507W Standby: Approx. 6.7 W Sleep mode: Approx. 0.59 W Typical Electricity Consumption (TEC): 0.35 kWh/week (230V) <sup>9</sup> For detailed information relating to Lot26 regulation, please go to: <a href="http://www.canon-europe.com/For_Work/Lot26/index.aspx">http://www.canon-europe.com/For_Work/Lot26/index.aspx</a>
<b>Noise level</b>	Sound Pressure <sup>5</sup> : Active: 54 dB Standby: 24 dB Sound Power <sup>5</sup> : Active: Duplex 68dB / Simplex 69dB Standby: 37 dB
<b>Dimensions (W x D x H)</b>	409 mm x 376 mm x 275 mm
<b>Weight</b>	Approx. 16 Kg
<b>Operating environment</b>	Temperature: 10 to 30°C (50 to 86°F) Humidity 20 to 80% RH (no condensation)
<b>Control panel</b>	5 Line LCD, 3 LED (Job, Error, Energy saver), Buttons, 10-key numeric keypad
CONTROLLER	
<b>Processor Speed</b>	1.6GHz Dual Core Processor and 800MHz Single Core Processor
<b>Memory</b>	2GB
<b>Storage</b>	32GB eMMC
<b>Printer Languages</b>	UFR II, PCL 5e <sup>4</sup> , PCL6, Adobe® PostScript <sup>3</sup>
<b>Fonts</b>	93 PCL fonts (93 Roman, 10 Bitmap fonts, 2 OCR fonts) Andalé Mono WT J/K/S/T (Japanese, Korean, Simplified and Traditional Chinese)* <sup>3</sup> Barcode Fonts* <sup>2</sup> 136 PostScript fonts
<b>Interface and connectivity</b>	USB 2.0 Hi-Speed, 10BASE-T/100BASE-TX/1000Base-T, Wireless 802.11b/g/n, Wireless Direct Connection

# TECHNICAL SPECIFICATIONS

# i-SENSYS LBP335dw

<b>Network Protocol</b>	<p>Print: TCP/IP (LPD/Port9100/IPP/IPPS/FTP/WSD)</p> <p>Management: SNMPv1, SNMPv3 (IPv4,IPv6)</p> <p>Security : TLS1.3, IPsec, IP/Mac address filtering, IEEE802.1X, SNMPv3, SSL (HTTPS, IPPS) Security (wireless): Infrastructure Mode: WPA-PSK(AES), WPA2-PSK(AES), WPA3-SAE (AES), WPA-EAP(AES), WPA2-EAP(AES), WPA3-EAP(AES) Access Point Mode: WPA2-PSK(AES), WPA3-SAE (AES)</p>
<b>Software and Printer Management</b>	<p>Remote User Interface (RUI), Remote Operation Viewer, Department ID Management, Toner Status Tool, iW Enterprise Management Console: Server-based software for centralised management of a fleet of devices Cooperating with External Security Audit System (Security Information and Event Management) eMaintenance: embedded RDS allows remote eMaintenance services such as meter capture, automatic consumables management and remote diagnostics.</p>
<b>Operating Systems Compatibility</b>	<p>Windows® 11 / Windows® 10 / Server® 2025 / Server® 2022 / Server® 2019 / Server® 2016 Mac OS X version 10.15 &amp; up Linux®</p>
<b>CONSUMABLES</b>	
<b>All-in-One cartridges</b>	<p>Cartridge 056L (5,100 pages 7)<sup>8</sup> Cartridge 056 (10,000 pages 7)<sup>8</sup> Cartridge 056H (21,000 pages 7)<sup>8</sup></p>
<b>ACCESSORIES/ OPTIONS</b>	
<b>Items</b>	<p>Paper Feeder PF-C1 (550-sheet cassette) Plain Pedestal V2 Plain Pedestal AB1 Barcode Printing Kit-D1 (Enables barcode printing capability) PCL Font Set-A1 (Enables Unicode printing capability on SAP and supports Andale font)</p>

**Notes:**

- [1] Duty cycle is defined as the maximum number of printed pages for a single peak month. Any usage above the recommended duty cycle may decrease the life of the product
- [2] Accessory - Barcode Printing Kit-D1 - is required
- [3] Accessory - PCL FONT SET-A1E - is required
- [4] A Canon PCL5e driver is not supplied, however PCL5e commands are supported on the device.
- [5] Declared noise emission in accordance with ISO 9296
- [6] Inaudible means that the emission sound pressure level for a bystander is lower than absolute standard for background noise in accordance with ISO 7779
- [7] Web distribution only
- [8] Based on ISO/IEC 19752
- [9] Printer ships with starter cartridge (Black: 5,100 pages)
- [10] As per US ENERGY STAR® version3.2.

# i-SENSYS LBP335dw

**Canon**

**Canon Inc.**  
Canon.com

**Canon Europe**  
canon-europe.com

**English Edition**  
© Canon Europa N.V. 2026