



# TruSound Pro Neckband Earbuds



## Ultra-Long 110 Hour Wireless Performance.

Verbatim TruSound Pro Neckband Earbuds deliver up to 110 hours of playtime with a 900mAh dual battery, making them ideal for long days, travel and commuting.

Bluetooth 5.4 ensures fast, stable and energy-efficient connectivity across devices.

The 10mm drivers provide clear highs, balanced mids and controlled bass across a 20Hz-20kHz range.

Magnetic earbuds feature auto on/off for easy use and battery saving. The lightweight 74.2g flexible neckband offers all-day comfort and a secure fit.

Environmental Noise Cancellation (ENC) improves call clarity by reducing background noise.

Durable materials, USB-C charging and multiple ear tip sizes (S, M, L) ensure reliable performance and a personalised fit.



Up to 110 hrs

Ultra-long  
Playtime




Enhanced  
Call Clarity





Built-In  
Microphone



Neckband  
Secure by Design




General Information		30203	30204
			
Colour		Black	Blue
Wearing style		In-Ear	
Ear coupling		Ear canal	
Product dimensions		450 x 134 x 18.1mm	
Product weight		74.2 g	
Product material		ABS, Silicone, TPE	
Plug for charging		USB-C	
Charging input		5V = 600 mA	
Charging cable		USB-A to USB-C (20 cm)	
Current after shutdown		≤5µA	
Operating current		18mA	
Standby operating current		≤5mA	
ON/OFF		Smart magnetic auto on/off function	
Controls		In-line control	
Touch controls		Yes	
Low latency mode		Yes	
Environmental noise cancellation (ENC)		Yes	
Active Noise cancellation (ANC)		NO	
ANC attenuation level		-	
<b>EAR SPEAKERS</b>			
Transducer principle		Dynamic	
Transducer size		10 mm	
Impedance		32 ohm +/- 15%	
Frequency response		20 Hz-20 kHz	
Sound pressure level (SPL)		108.9±3dB @ 1kHz	
<b>MICROPHONE</b>			
Sensitivity (dBV/Pa)		-38 dBV/Pa ±1 dB	
Resolution		> 70dB	
Signal-to-noise ratio		≥ 80dB	
Distortion		1%	
<b>CONNECTIVITY</b>			
Bluetooth version		5.4 (chip BT8925B2)	
Supported bluetooth profiles		HFP, HSP, A2DP, AVRCP	
Bluetooth range		≥ 10 m (open space)	
Pairing features		Auto-pairing, multipoint supported (One-support-two function)	
Pairing name		Verbatim TS Pro NB EB	
<b>BATTERY</b>			
Battery type		Li-ion Polymer battery, XD 601452 x 2	
Battery capacity		900 mAh, 3.7V, 3.33 Wh (2 x 450 mAh, 3.7 V, 1.665 Wh)	
Rated Power		5 mW	
Max. current		500mA	
Operating time		110 hrs	
Charging Time		~3 hours	
Wireless Charging		No	
Battery Safety		UN 38.3	

Storage and Operating Conditions	
Storage temperature	-20 °C to +40 °C
Operating temperature	-10 °C to +40 °C
Operating humidity	5%-95% RH

PN	Description	MOQ	Tariff Code	Bar Code	EAN128 Code	EAN14 Code
30203	Verbatim TruSound Pro Neckband Earbuds Black	10	8518300090	023942302032	(02)00023942302032(37)10(91)866 (02)00023942302032(37)40(91)866	20023942302036 50023942302037
30204	Verbatim TruSound Pro Neckband Earbuds Blue	10	8518300090	023942302049	(02)00023942302049(37)10(91)866 (02)00023942302049(37)40(91)866	20023942302043 50023942302044

Logistic Information	
Product Dimensions L x W x H	450 x 134 x 18.1 mm
Product Weight	74 g
Units per Pack	1
Pack Dimensions L x W x H	145 x 32 x 198 without hanger (237 with hanger) mm
Pack Weight	150 g
Units per Inner Carton	10
Inner Carton Dimensions L x W x H	460 x 180 x 155 mm
Inner Carton Weight	1716 g
Units per Outer Carton	40
Outer Carton Dimensions L x W x H	470 x 370 x 340 mm
Outer Cartons Weight	7000 g
Outer Cartons per Layer	6
Layers per Pallet	3
Units per Pallet	720



## Pack Contents

- Verbatim TruSound Pro Neckband Earbuds
- USB-A to USB-C cable (200mm)
- Earbuds tips x 3 pairs (S, M, L)
- Quick Start Guide



## System Requirements

Bluetooth-enabled smartphone, tablet or laptop  
USB power source for charging

## Warranty

2 year limited warranty

For more information, please contact your key account manager

Publication date: 22/04/2026  
© 2026 Verbatim. All rights reserved.  
All brand names are registered trademarks of their respective owners.  
Unauthorized use strictly prohibited.  
Specifications are subject to change without prior notice.

