
HIGH QUALITY COLOUR LASER PRINTERS FOR SMALL AND MEDIUM BUSINESSES



i-SENSYS LBP620 Series Compact, ultra efficient, single-function colour laser printers that are simple to set up and operate



Security as standard

The Canon i-SENSYS LBP620 Series addresses security concerns by including a PIN document release function which allows businesses greater control over confidential material.

Mobile connectivity

Mobile connectivity is a must for small business owners and sole traders who need to be able to print no matter where they are. The Canon i-SENSYS LBP620 Series ensures printing is only ever a tap away via a versatile range of mobile connection options including AirPrint (Apple) and Mopria (Android) support. There is also a range of tools and options to enhance mobile printing available from the Canon PRINT Business app. In addition, the wireless direct connection (LBP623Cdw), which enables guests to print without the need for network access, provides even greater flexibility and agility, while addressing security concerns too.



Productivity boosting print speeds

Canon's i-SENSYS LBP620 Series features an engine capable of delivering fast print speeds. The LBP623Cdw can output as many as 21 A4 prints per minute. Double-sided printing comes as standard on the LBP623Cdw model, offering enhanced levels of productivity.

High quality performance

No matter what you are printing, whether a sales presentation or a small document for internal use, the i-SENSYS LBP620 Series ensures that your prints are always of the highest quality and boast colours that truly resonate thanks to improved toner cartridges.

RANGE FEATURE STEP UP CHART



LBP621Cw

LBP623Cdw

A4 print speed	18ppm	21ppm
Display	5 line LCD	5 line LCD
Secure PIN print	•	•
Automatic duplex printing		•
250 sheet paper capacity	•	•
Wi-Fi ready	•	•



TECHNICAL SPECIFICATIONS

i-SENSYS LBP620 Series

PRINTER ENGINE		Noise level	Sound power ²	
Print speed	LBP621Cw:	Noise level	Active: 66 dB or less	
	Single sided:		Standby: Inaudible	
	Up to 18 ppm (A4) Up to 38 ppm (A5-Landscape)			
	LBP623Cdw: Single sided :		Sound pressure ²	
	Up to 21 ppm (A4)		LBP621Cw:	
	Up to 38 ppm(A5-Landscape) Double sided : Up to 12.7 ipm (A4)		Active: 52 dB or less	
Printing method	Colour laser beam printing		Standby: Inaudible	
Print resolution	Up to 600 x 600 dpi			
Print quality with Image	Up to 1200 x 1200 dpi		LBP623Cdw:	
Refinement Technology			Active: Simpelx 52 dB or less / Duplex 51 dB or less	
Warm-up time	Approx. 13 seconds or less from power on		Standby: Inaudible	
First Page Out Time	Colour approx.: 10.5 seconds or less Mono approx.: 10.4 seconds or less	Dimensions (W x D x H)	430 mm x 418 mm x 287 mm	
Recommended Monthly Print	250 - 2,500 pages per month	Weight	Approx. 15.5 kg	
Volume		Operating environment	Temperature: 10 to 30°C (50 to 86°F) Humidity 20 to 80% RH (no condensation)	
Duty cycle	Max. 30,000 pages per month ¹	Control panel	5 Line LCD, 3 LED (Job, Error, Energy saver), Buttons,	
Print margins	5 mm-top, bottom, left and right		10-key numeric keypad	
Toner saver mode	Yes			
Advanced printing features	Secure Print Print from USB memory key (JPEG/TIFF/PDF)	CONTROLLER		
	Google Cloud Print Ready	Processor Speed	800MHz x 2	
	iOS: AirPrint, Canon PRINT Business app Android; Mopria certified, Canon Print Service Plug-in,	Memory	1GB	
	Canon PRINT Business app	Printer Languages	LBP621Cw: UFRII	
		Fonts	LBP623Cdw: UFRII, PCL5c ³ , PCL6, Adobe* PostScript LBP623Cdw: 45 PCL fonts. 136 PS fonts	
MEDIA HANDLING Paper input (Standard)	250-sheet cassette	Fonts Interface and connectivity	USB 2.0 Hi-Speed, 10BASE-T/100BASE-TX/1000Base-T,	
Paper input (Standard)	1-sheet manual feed slot	-	Wireless 802.11b/g/n, Wireless Direct Connection	
Paper input (Option)		Software and Printer Management	Remote User Interface (RUI), Department ID Management,	
Paper output	100-sheet	- I diagenent	Toner Status Tool,	
Media types	Plain paper, Recycled paper, Heavy Paper, Thin paper, Colour paper, Glossy paper, Label, Post card, Envelope		iW Management Console: Server-based software for centralised management of a fleet of devices	
Media sizes	Cassette :		eMaintenance: embedded RDS allows remote	
	A4, A5, A5 (Landscape), B5, Legal, Letter, Executive, Statement, OFFICIO, B-OFFICIO, M-OFFICIO, GLTR,		eMaintenance services such as meter capture, automatic	
	GLGL, Foolscap, 16K, Post card, Indexcard, Envelop		consumables management and remote diagnostics. Windows* 10 / Windows* 8.1 / Windows* 7 / Server* 2016 /	
	(COM10, DL, C5, Monarch), Custom sizes: Min. 76.2 x 127 mm Max. 216.0 x 355.6 mm.	Operating Systems Compatibility	Server* 2012R2 / Server* 2012 / Server* 2008R2 / Server*	
			2008 Mac OS X version 10.9.5 & up / Mac OS 10.14 & up	
	Multi-purpose tray: A4, A5, A5 (Landscape), B5, Legal, Letter, Executive,		Linux ⁴ /Citrix	
	Statement, OFFICIO, B-OFFICIO, M-OFFICIO, GLTR,			
	GLGL, Foolscap, 16K, Post card, Indexcard, Envelope (COM10, DL, C5, Monarch), Custom sizes: Min 76.2 x 127	CONSUMABLES		
	mm Max. 216.0 x 355.6 mm.	All-in-One cartridges	Cartridge 054 Black (1,500 pages ⁵) ⁶	
Media weights	Cassette: 60 to 163 g/m ² (Up to 200 g/m ² with Glossy		Cartridge 054 H Black (3,100 pages ⁵) ⁶	
	paper) Multi-purpose tray: 60 to 163 g/m² (Up to 200 g/m² with		Cartridge 054 Cyan (1,200 pages ⁵) ⁶	
	Glossy paper)		Cartridge 054 H Cyan (2,300 pages ⁵) ⁶	
Double sided printing	LBP623Cdw:		Cartridge 054 Magenta (1,200 pages ⁵) ⁶ Cartridge 054 H Magenta (2,300 pages ⁵) ⁶	
	Automatic		Cartridge 054 H Magenta (2,300 pages ³) ⁶ Cartridge 054 Yellow (1,200 pages ⁵) ⁶	
	Cassette:			
	A4, B5, Legal, Letter, Executive, OFFICIO, B-OFFICIO, M-OFFICIO, GLTR, GLGL, Foolscap, 16K	Notes: Duty cycle is defined as the max	Duty cycle is defined as the maximum number of printed pages for a single peak month. Any usage above the recommended duty cycle may decrease the life of the product	
	Custom size - Min. 182 x 257 mm Max. 216.0 x 355.6 mm	recommended duty cycle may d		
	60 to 200 g/m ²	 Declared noise emission in accordance with ISO 9296 Commands supported only. Third party driver or direct printing from application required. 		
GENERAL FEATURES		[4] Web distribution only		
Power requirements	220-240V (±10%) 50/60Hz (±2Hz)	 ⁽⁵⁾ Based on ISO/IEC 19752 ⁽⁶⁾ Printer ships with Black: 910 pages, C/M/Y: 680 pages starter cartridges. ⁽⁷⁾ As per US ENERGY STAR* version2.0. 		
Power consumption	Maximum: Approx. 850W or less			
	Active printing: Approx. 390W			
	Standby: Approx. 8.5W or less			
	Sleep: Approx. 0.8W or less			
	Typical Electricity Consumption (TEC):			
	i-SENSYS LBP621Cw = 0.5 kWh/week ⁷ i-SENSYS LBP623Cdw = 0.6 kWh/week ⁷			
	For detailed information relating to Lot26 regulation,			
	please go to: http://www.canon-europe.com/For_Work/ Lot26/index.aspx			



HIGH QUALITY COLOUR LASER PRINTERS FOR SMALL AND MEDIUM BUSINESSES

Compact, ultra efficient, single-function colour laser printers that are simple to set up and operate



PRODUCT DETAILS:

PRODUCT NAME	Mercury Code	EAN Code
i-SENSYS LBP621Cw	3104C017AA	8714574662329
i-SENSYS LBP623Cdw	3104C015AA	8714574662305

CONSUMABLES:

PRODUCT NAME	Mercury Code	EAN Code
Cartridge 054 Black	3024C002AA	4549292124453
Cartridge 054 H Black	3028C002AA	4549292124576
Cartridge 054 Yellow	3021C002AA	4549292124361
Cartridge 054 H Yellow	3025C002AA	4549292124484
Cartridge 054 Magenta	3022C002AA	4549292124392
Cartridge 054 H Magenta	3026C002AA	4549292124514
Cartridge 054 Cyan	3023C002AA	4549292124422
Cartridge 054 H Cyan	3027C002AA	4549292124545

Canon (UK) Ltd

Woodhatch Reigate Surrey RH2 8BF Telephone No: 01737 220000 Facsimile No: 01737 220022 canon.co.uk Canon Inc. canon.com Canon Europe canon-europe.com English edition © Canon Europa N.V.,2019

Canon Ireland

3006 Lake Drive Citywest, Saggart Co. Dublin, Ireland Telephone No: 01 2052400 Facsimile No: 01 2052525 canon.ie

